Chinastandards.org

ICS 91.140.60
CCS P 41

CJJ

INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

CJJ 159-2011

Technical specification for leak detection of water supply pipe nets in cities and towns

城镇供水管网漏水探测技术规程

(English Translation)

Issued on: January 7, 2011 **Implemented on: October 1, 2011**

Issued by: Ministry of Housing and Urban-Rural Development of the People's Republic of China

Preview: page 1 of 4 shown, 40 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/cjj-159-2011

Chinastandards.org

Table of Contents

[Preview only]
1 General provisions
2 Terms and symbols
2.1 Terms
2.2 Symbols
2.3 Service for operation and maintenance
2.4 Economic and environmental protection operation indexes
2.5 Spare parts
3 Materials
3.1 General requirements
3.2 Quality requirements
3.3 Design calculation parameters
3.4 Transportation and storage
3.5 Stop operating
3.6 Fault handling
3.7 Maintenance and overhaul
4 Design
4.2 Pipeline layout and laying
4.3 Pipeline hydraulic calculation
4.4 Pipeline structural design
4.5 Pipeline appurtenances and buttresses
4.6 Serviceability Limit State Calculation
4.7 Pipe Connection
4.8 Subgrade Treatment
4.9 Backfill Design
5 Construction
5.2 Trench excavation and soil treatment
5.3 Pipeline connection
5.4 Pipeline laying
5.5 Trench backfill
5.6 Pipeline appurtenances and auxiliaries installation
5.7 Connection of branch pipe/service pipe to existing pipeline

Preview: page 2 of 4 shown, 40 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/cjj-159-2011

6 Water pressure test, flushing and disinfection
6.2 Water pressure test
6.3 Flushing and disinfection
6.4 Operation and regulation
7 Construction completion and final acceptance
7.2 Parameter detection
7.3 Parameter regulation and control
7.4 Computer automatic monitoring
7.5 Optimum operating condition
7.6 Dispatching

1 Foreword

CJJ 159-2011 was issued by Ministry of Housing and Urban-Rural Development of the People's Republic of China on 7 January 2011 and has been in force since 1 October 2011.

The CJJ prefix, without a suffix, marks a mandatory standard: within its scope, compliance is required.

The document runs to 40 pages in English translation.

2 Scope Preview

This standard applies to urban water supply pipe network leak detection.

CJJ 159-2011 falls under ICS 91.140.60, in the field of construction materials and building.

This catalogue holds 29 other CJJ standards in that field.

In this catalogue, CJJ standards carry edition years from 1985 to 2018.

3 About this standard

Issued by: Ministry of Housing and Urban-Rural Development of the People's Republic of China

English translation: about 40 pages

Chinese original: about 60,618 characters

4 Related standards

Standards on related subjects:

Preview: page 3 of 4 shown, 40 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/cjj-159-2011

GB/T 18916.3-2022 - Norm of water intake-Part 3: Petroleum refining

GB/T 18916.31-2017 - Norm of water intake - Part 31 :Sintering and pelletizing for iron and steel industry

CJ/T 217-2013 - Compound quick air inbreathe-release valve for water supply pipeline

CJ/T 169-2018 - Microfiltration water treatment equipment

CJ/T 167-2016 - Multi-function control valve for pumping system

5 Classification and status

International classification (ICS): 91.140.60

Chinese Standard Classification (CCS): P 41

Prefix CJJ: mandatory standard.

Preview: page 4 of 4 shown, 40 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/cjj-159-2011