Chinastandards.org

CJJ

INDUSTRY STANDARD OF THE

PEOPLE'S REPUBLIC OF CHINA

CJJ 217-2014

Technical code for operation in excavation chamber of shield tunneling machine at atmospheric or compressed air

盾构法开仓及气压作业技术规范

(English Translation)

Issued on: June 12, 2014 **Implemented on: December 1, 2014**

Issued by: Ministry of Housing and Urban-Rural Development of the People's Republic of China

Preview: page 1 of 4 shown, 24 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/cjj-217-2014

Chinastandards.org

Table of Contents

[Preview only]
1 General provisions
2 Terms and symbols
2.1 Terms
2.2 Symbols
2.3 Service for operation and maintenance
2.4 Economic and environmental protection operation indexes
2.5 Spare parts
3 Basic Requirements
3.1 General requirements
3.2 Quality requirements
3.3 Design calculation parameters
3.4 Transportation and storage
3.5 Seismic Conceptual Design
3.6 Fault handling
3.7 Maintenance and overhaul
4 Design
4.2 Pipeline layout and laying
4.3 Pipeline hydraulic calculation
4.4 Pipeline structural design
4.5 Pipeline appurtenances and buttresses
4.6 Serviceability Limit State Calculation
4.7 Pipe Connection
4.8 Subgrade Treatment
4.9 Backfill Design
5 Construction
5.2 Trench excavation and soil treatment
5.3 Pipeline connection
5.4 Pipeline laying
5.5 Trench backfill
5.6 Pipeline appurtenances and auxiliaries installation
5.7 Connection of branch pipe/service pipe to existing pipeline

Preview: page 2 of 4 shown, 24 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/cjj-217-2014

6 Water pressure test, flushing and disinfection
6.2 Water pressure test
6.3 Flushing and disinfection
6.4 Time History Analysis Method
6.5 Seismic Analysis for Regular Bridges
6.6 Calculation for Capacity Protected Member
6.7 Bridge Abutment
7 Construction completion and final acceptance
7.2 Seismic Check for E1 Earthquake
7.3 Seismic Check for E2 Earthquake
7.4 Seismic Check for Capacity Protected Members
7.5 Structural calculation of inspection well
7.6 Dispatching
8 Grade Separation Junction, Viaduct and Underpass
8.2 Grade Separation Junction and Viaduct
8.3 Underpass
8.4 Structural calculation of tunnel
9 Bridge Detail Structures and Attachments
9.2 Drainage and Waterproofing Design of Bridge Deck and Underpass
9.3 Bridge Expansion Joints
9.4 Bridge Bearing
9.5 Bridge Railing
9.6 Lighting, Energy Saving and Environmental Protection
9.7 Other Attachments

1 Foreword

CJJ 217-2014 was issued by Ministry of Housing and Urban-Rural Development of the People's Republic of China on 12 June 2014 and has been in force since 1 December 2014.

The CJJ prefix, without a suffix, marks a mandatory standard: within its scope, compliance is required.

The document runs to 24 pages in English translation.

Preview: page 3 of 4 shown, 24 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/cjj-217-2014

2 Scope Preview

This standard applies to the use of shield loose method in the construction of atmospheric pressure and pressure operating environment under the open operation.

CJJ 217-2014 carries no ICS number and no Chinese Standard Classification code.

This catalogue holds 122 other CJJ standards.

Of the 57 CJJ standards that do carry an ICS number, 30 (53%) fall under ICS 91, in the field of construction materials and building.

3 About this standard

Issued by: Ministry of Housing and Urban-Rural Development of the People's Republic of China

English translation: about 24 pages

Chinese original: about 36,379 characters

4 Classification and status

Prefix CJJ: mandatory standard.

Preview: page 4 of 4 shown, 24 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/cjj-217-2014