Chinastandards.org

ICS 45.020
CCS S 50

CJJ

INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

CJJ/T 96-2018

Replacing CJJ 96-2003

Standard for metro gauges

地铁限界标准

(English Translation)

Issued on: November 7, 2018 **Implemented on: April 1, 2019**

Issued by: Ministry of Housing and Urban-Rural Development of the People's Republic of China

Preview: page 1 of 4 shown, 88 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/cjj-t-96-2018

Chinastandards.org

Table of Contents

1 General provisions
2 Terms and symbols
2.1 Terms
2.1.1 Metro gauges
2.1.2 Kinematic gauge
2.1.3 Equipment gauge
2.1.4 Construction gauge
2.1.5 Normal coordinate system
2.1.6 Calculation vehicle and vehicle outline
2.1.7 Throw and quantity of throw
2.1.8 Throw on curve
2.1.9 Release height of working collector
2.1.10 Height of third-rail elbow
2.2 Symbols
2.2.1 Vehicles
3 Basic requirements
3.1 Calculation of kinematic gauge
3.2 ,Calculation of equipment gauge
3.3 Calculation of construction gauge
4 Type A1 gauge standard
4.1 Calculation parameters for Type A1 gauge
4.2 Type A1 kinematic gauge and equipment gauge
5 Type A2 gauge standard
5.1 Calculation parameters for Type A2 gauge
5.2 Type A2 kinematic gauge and equipment gauge
6 Type B1 gauge standard
6.1 Calculation parameters for Type B1 gauge
6.2 Type B1 vehicle gauge and equipment gauge
7 Type B2 gauge standard
7.1 Calculation parameters for Type B2 gauge
7.2 Type B2 kinematic gauge and equipment gauge
8 Gauge checking

Preview: page 2 of 4 shown, 88 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/cjj-t-96-2018

8.1 Vehicle outline checking

8.2 Equipment gauge checking

8.3 Construction gauge checking

1 Foreword

CJJ/T 96-2018 was issued by Ministry of Housing and Urban-Rural Development of the People's Republic of China on 7 November 2018 and has been in force since 1 April 2019.

It replaces the earlier edition CJJ 96-2003.

The CJJ/T prefix marks a recommended standard. It is not law in itself: it becomes binding when a contract names it, when a regulation or a mandatory standard refers to it, or when a producer declares conformity with it.

2 Scope Preview

This standard is applicable to the design and construction of the standard rail gauge series A1, A2 and B1, B2 vehicle rail transit systems of urban steel wheel rail system running inside and outside the tunnel and not exceeding 120 km/h speed class.

CJJ/T 96-2018 falls under ICS 45.020, in the field of railway engineering.

This catalogue holds 2 other CJJ/T standards in that field.

In this catalogue, CJJ/T standards carry edition years from 1993 to 2023.

3 About this standard

Issued by: Ministry of Housing and Urban-Rural Development of the People's Republic of China

English translation: about 88 pages

Chinese original: about 133,191 characters

Supersedes the earlier edition CJJ 96-2003.

4 Related standards

Standards on related subjects:

TB/T 1013-2011 - Carbon cast steel wheel

GB/T 12817-2004 - General technical specification of railway passenger car

TB/T 2640-1995 - Structural Design for Fire Protection of Passenger Train

Preview: page 3 of 4 shown, 88 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/cjj-t-96-2018

CJ/T 412-2012 - Technical specification for medium and low speed maglev turnout

CJ/T 411-2012 - Technical specification for the electrical system of medium and low speed maglev vehicle

5 Classification and status

International classification (ICS): 45.020

Chinese Standard Classification (CCS): S 50

Prefix CJJ/T: recommended standard.

Preview: page 4 of 4 shown, 88 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/cjj-t-96-2018