

ICS 01.080.10
CCS A 90

GA

**INDUSTRY STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

GA 747-2012

Replacing GA 747-2007

Signs used for immigration inspection spot at the open port

对外开放口岸边防检查现场标志

(English Translation)

Issued on: January 1, 1970

Implemented on: January 1, 1970

Issued by: Ministry of Public Security

Table of Contents

- Foreword
- 1 Scope
- 2 Normative references
- 3 Category, logo
 - 3.1 Occupational flag
 - 3.2 Service marks
 - 3.4 Channel flag

Foreword

All contents of this standard is mandatory.

This standard was drafted in accordance with GB/T 1.1-2009 given rules.

This standard replaces GA 747-2007, the main technical changes are as follows.

--- Increased monitoring post flag, flag duty waist facilities, outdoor spaces dado duty flag on duty outdoor spaces cornice trim marks, Duty outdoor spaces soffit flag, logo and border waiting area border service compartment door head upright flag (see Table 1 in paragraph 17, 23, Legend No. 24,25,26,54 and 13);

--- Modified post warning signs, Function room inspection station logo (see Table 1, No. 16, 19 Legend, 2007 edition Table

1 Legend No. 16, 18);

--- Remove the mainland China Taiwan Residents channel flag (see Table 1 in the 2007 version of the legend No. 32);

--- Increased white color values of the parameters (see Table 2);

--- Revised labeling method mark on the diagram.

This standard was proposed by the Ministry of Public Security Exit-Entry Administration.

This standard by the Ministry of Public Security Public Security Applications
Standardization Technical Committee.

This standard was drafted. Ministry of Public Security Exit-Entry Administration, Ministry of Public Security Border Authority.

1 Scope

This standard specifies the People's Republic of China open ports Frontier Inspection (hereinafter referred to as "frontier") site logo.

This standard applies to the territory of the People's Republic of China ports, airports, railway stations and border crossings and other open ports of frontier inspection now Design and Application field flag.

2 Normative references

The following documents for the application of this document is essential. For dated references, only the dated version suitable for use herein Member. For undated references, the latest edition (including any amendments) applies to this document.

GB 5768.1-2009 road traffic signs and markings - Part 1. General GB 5768.2-2009 road traffic signs and markings - Part 2. Road traffic signs GB 5768.3-2009 road traffic signs and markings - Part 3. Road traffic markings GB/T 10001.1 flag Public information graphical symbols - Part 1. Common symbols GB/T 10001.3 flag Public information graphical symbols - Part 3. Passenger Cargo sign GB/T 20501.1 principles and requirements of public information guide system elements - Part 1. Graphical signs and relative elements

3 Category, logo

Flag frontier inspection site into vocational logos, service marks, duty marks, channel markers, suggesting signs.

3.1 Occupational flag

Occupational flag is a symbol of the People's Republic of China Frontier Inspection Organs.

3.2 Service marks

3.2.1

service mark is a sign used to identify entry and exit frontier inspection organs to provide convenient service facilities.

3.2.2

service marks, including foreigners immigration card to fill in at the sign, go straight direction signs, direction signs left front, left-oriented signs, front right guide to sign, the right line direction signs, direction signs upstairs, downstairs and direction signs, late Free row symbol, emergency signs, suggestion boxes signs, bulletin Bar signs.

3.3 on duty flag

3.3.1 duty flag is the symbol used to identify the frontier inspection offices on-site duty facilities.

3.3.2 duty flags include. supervision service station identity, within the inquiry room sign, warning sign post, guardianship Kong flag, desk flag, inspection station Room sign, isolated with flag, flag duty waist facilities, outdoor spaces duty dado flag, outdoor flag duty places cornice trim, outdoor Executive Qin places soffit flag on duty outside the door first place horizontal signs, outdoor signs duty vertical door first place.

3.4 Channel flag

3.4.1

channel flag is the symbol used to identify the entry-exit inspection personnel and means of transport channel.