

ICS 97.220
CCS Y55



**NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

GB 19079.21-2013

**Operation conditions and technical requirements for
gymnasium and playground-Part 21 : Boxing place**

体育场所开放条件与技术要求 第21部分：拳击场所

Issued on: December 31, 2013

Implemented on: December 1, 2014

**Issued by: General Administration of Quality Supervision, Inspection and
Quarantine of the People's Republic of China;
Standardization Administration of China**

Table of Contents

- 1 Scope
- 2 Normative references
- 3 Terms and Definitions
- 4 Qualifying
- 7 Security

Foreword

All technical content in this Part of GB 19079 is mandatory. GB 19079 "sports venues open conditions and technical requirements" is divided into the following sections.

- Part 1. swimming places;
- Part 2. Karting place;
- Part 3. Bungee place;
- Part 4. rock climbing places;
- Part 5. Skating place;
- Part 6. skiing;
- Part 7. figure skating place;
- Part 8. Shooting place;
- Part 9. Archery place;
- Part 10. Dive sites;
- Part 11. rafting place;
- Part 12. gliding wing place;
- Part 13. Balloon and Airship place;

1 Scope

GB 19079.21-2013 is the Chinese national standard on operation conditions and technical requirements for gymnasium and playground-part 21 : boxing place, in the field of domestic and commercial equipment, entertainment, sport. It carries no /T suffix, which in the Chinese system means compliance is mandatory: a product or a practice within its scope has to meet it to be lawfully made, sold or carried out in China. It was issued on 31

December 2013 by the General Administration of Quality Supervision, Inspection and Quarantine of the People's Republic of China; Standardization Administration of China, and has been in force since 1 December 2014. Classification: ICS 97.220, CCS Y55. This page is published from the official record of the standard held by the Chinese standards administration: the identification, the dates, the classification and the issuing body are taken from there. The clause text, the tables and the numeric limits are in the document itself, which is delivered complete in English translation.

GB 19079 of the provisions of this part of the premises open to the public boxing should have the basic conditions and basic technical requirements. This section applies to all kinds of boxing open to the public place.

2 Normative references

The following documents for the application of this document is essential. For dated references, only the dated version suitable for use herein Member. For undated references, the latest edition (including any amendments) applies to this document.

GB/T 10001.1 Public information graphical symbols - Part 1. Common symbols

3 Terms and Definitions

The following terms and definitions apply to this document.

3.1 Boxing place boxingplace Place to meet people to the sport of boxing training, competition, fitness and leisure activities.

3.2 Brace protectiveequipment Boxer boxing meet to carry out the activities required to implement, including boxing gloves, bandages, head protection, mouthguard, jockstrap, chest protector and so on.

3.3 Boxing technical guidance personnel boxinginstructor Teach boxing theory and skills of staff.

4 Qualifying

Boxing technical guidance should hold relevant national vocational qualification certificate before taking. 5 places, facilities and conditions

5.1.1 The place should be configured boxing boxing ring, boxing should obtain product quality inspection certificate.

5.1.2 boxing ropes around the inner square with sides not less than 4m.

5.1.3 boxing should be strong smooth, safe and reliable, bearing the static load of not less than 5kN/m².

5.1.4 mesa extends outside the ropes shall be not less than 460mm; the four corners of the station should be installed four corner posts, tied to fixed ropes; ropes corners should be safe Set moderately hard and soft corner pads, corner pad width is not less than 250mm, a thickness of not less than 100mm.

5.1.5 should be laid on the table of a thickness of not less than 20mm flexible mat, a flexible mat Shore hardness of 35 degrees to 45 degrees. Mat should be above Covering a fixed flat canvas, canvas cover should include the entire mesa portion outside the ropes.

5.1.6 should be set up around the boxing ring three or four ropes, tops from the bottom of the ropes should be less than 406mm, the spacing should be less than the ropes 305mm, ropes diameter should be not less than 30mm, ropes tensile strength of not less than 30kN, ropes application velvety material wrap. Application ropes on each side of the two width of not less than 30mm connection with its velvety connected up and down, tied firmly, should not slide down the ropes, and even Connected with the distance between the left and right should be equal. It should be 500mm ~ 600mm spacing between each corner post and rope angle.

5.1.7 boxing audience shall have two skid plate with rosin.

5.2 boxing venue

5.2.1 boxing venue area should be not less than 150m².

5.2.2 The court surface should be smooth, non-slip.

5.2.3 shall be no obstruction in the field.

5.3 protective gear and aids

5.3.1 Boxing place should be equipped with boxing gloves, bandages, head protection, mouthguard, jockstrap, chest protector and other protective gear.

7 Security

7.1 should establish and improve the safe production responsibility system for posts, rescue and safety management system, equipment and facilities maintenance system, environmental management and health And other systems.

7.2 should develop emergency response plans.

7.3 shall be provided "boxing event INSTRUCTIONS" prominently on matters related to safety and special requirements to make real and clear instructions Warning.

7.4 should be equipped with emergency medicines and equipment, and placed in an obvious location for easy access.

7.5 During open venues per capita area of not less than 5m². Boxing should be not less than

7.6 places a boxing technical guidance personnel, and technical guidance personnel boxing public directory, and photo prominently. During open every boxing instructor at the same time technical guidance to a number not more than 30 people.

7.7 Boxing places employees induction should wear clearly marked.

7.8 emergency exit and evacuation routes should be identified and kept clear.

chinastandards.org · PREVIEW