

ICS 91.120.30
CCS Q17



**NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

GB 23441-2009

Replacing JC 840-1999; JC 898-2002

Self-adhering polymer modified bituminous waterproof sheet

自粘聚合物改性沥青防水卷材

(English Translation)

Issued on: March 25, 2009

Implemented on: March 1, 2010

**Issued by: General Administration of Quality Supervision, Inspection and
Quarantine of the People's Republic of China, Standardization
Administration of the People's Republic of China**

Table of Contents

2	Normative references
3.1	Types
3.2	Specifications
3.2.2	Coil nominal area of 10m ² ,15m ² ,20m ² ,30m ² .
3.2.4	Other specifications agreed upon by both supply and demand.
4	Requirements
4.1.2	N type mass per unit area, should be consistent with the thickness specified in Table 1.
4.1.3	PY-based mass per unit area, thickness shall be as specified in Table 2.
4.2	Appearance
4.3	Physical and mechanical properties
4.3.1	N web-based physical and mechanical properties to be shown in Table 3.
4.3.2	PY web-based physical and mechanical properties should meet the requirements in Table 4.
4	Low temperature flexibility/?
11	Thermal Stability
5	Test methods
5.1	Preparation of test piece
1	Tensile properties 100 x 25 5 each aspect
11	Thermal Stability of 300 x 300 1
2	Tensile Properties (250 ~ 300) x 50 5 each aspect
5.5	Appearance
5.7	Tensile properties
5.7.1	N-based web
5.7.2	PY class web
5.9.1	N-based web
5.9.2	PY class web
5.10	Low temperature flexibility
5.13.1	Preparation of test piece
5.13.2	Test Procedure
5.13.3	Evaluation of results
5.16	Thermal Aging
5.16.1	N type web

5.16.2 PY class web

5.17 Thermal Stability

6 Inspection Rules

6.1 Inspection Classification

6.1.2 Type inspection

6.2 Batch

6.3 Sampling

What is delivered

The English PDF of this standard, delivered to your email address.

Instant delivery: the file is sent automatically after payment.