

ICS 59.080.60
CCS W 56



**NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

GB 28476-2012

Carpets-direction for use and labels

地毯使用说明及标志

(English Translation)

Issued on: June 29, 2012

Implemented on: July 1, 2013

Issued by: Standardization Administration of China

Table of Contents

Foreword	
1 Scope	
2 Normative references	
3 Terms and Definitions	
4 Basic Principles	
5 Content instructions for use	
5.1 Manufacturer's name and address	
5.2 Name	
5.3 Dimensions	
5.4 Pile carpet face fiber names and content	
5.6 Total mass per unit area (g/m ²)	
5.8 Product standard number	
5.9 Product Quality rating	
5.10 Product quality inspection certificate	
6 Carpet for use and labels	
6.1 Products for carpeting locations grading and labels	
7.1 Takes the form	
7.2 Basic requirements	

Foreword

Chapter 5 of this standard are mandatory, others are recommended.

This standard was drafted in accordance with rules GB/T 1.1-2009 given.

This reference standard ISO/IEC Guide 37 "consumer use" provisions and ISO 6347:2004 "consumer textile floor coverings Information ", the standard" pile carpets use classification and assessment "reference to the European standard EN1307:2005" textile floor coverings pile carpets points Level "and EN14215:2003" textile floor coverings machine-made pile rugs and carpet grade corridor ", and refer to CENTC134" textile floor coverings Using application examples and classification of objects related to the mark, "This standard is for use and labels carpet products for the first time to develop.

Please note that some of the content of this document may involve patents, the issuing authority of this document does not assume responsibility for identifying these patents.

The standard proposed by China Light Industry Federation.

This standard by the National Standardization Technical Committee carpet (SAC/TC150).

This standard drafting units. China Arts and Crafts Association of Professional Committee of the carpet.

Participated in the drafting of this standard. Sapphire Tianjin Oriental rugs Research Center.

1 Scope

This standard specifies the basic principles and requirements for use and labels of the carpet.

This standard applies to domestic production and sales of carpet products in the People's Republic of China.

This standard does not apply to carpet cushion products.

2 Normative references

The following documents for the application of this document is essential. For dated references, only applies to the version dated paper Pieces. For undated references, the latest edition (including any amendments) applies to this document.

Area or number of tufts GB/T 15964 carpet pile loops per unit length and unit Determination
Determination GB/T 15965 manual carpet pile length Test Method QB/T 1089 Carpets
thickness QB/T 1188 Test Method carpet quality QB/T 1555 Test Method carpet on the
carpet pile substrate thickness QB/T 2998 foot carpet four wheel mass loss test methods
Leeson Fiber content identification FZ/T 01053 Textiles ISO 9405 Textile floor coverings
Assessment of appearance change Generating the appearance change ISO 10361 Textile
floor coverings using Wittman drum or roller hexapod test

3 Terms and Definitions

The following terms and definitions apply to this document.

Instructions instructionforuse How to convey to consumers the proper and safe use of the product information tools. It is usually expressed in manual, labels, signs and the like.

Carpet type the first type of pile of different thickness and mass per unit area of pile carpet pile divided, may be used for each type of the commentary Price method.

Use grade useclassification Carpet can withstand the use of different strength (abrasion resistance, appearance retention) divided adaptability level. Divided household, commercial three each grade.

Luxury grade luxuryrating Measured according to the method of the carpet pile mass,

density, or Appendix C is determined by the luxury factor (CF) level.

4 Basic Principles

Use are an integral part of the delivery of the product.

4.2

All instructions should be consistent with the provisions of relevant state laws and regulations.

4.3

Instructions for use should be accurate presentation of the product, there should not be exaggerated false content.

5.1 Manufacturer's name and address

Carpet manufacturers should indicate the product name and the registered address of the registered according to law.

Imported carpets, Chinese mark of origin (country or region) and dealers or importers or distributors in China legally registered Name and address.

5.2 Name

Product name should indicate the true nature of the product, and meet the following requirements.

- a) national standards, industry standards for product names are specified, should adopt national standards, industry standards prescribed name.
- b) the national standards, product name still does not provide industry standard, common name should be used without causing consumers confusion and misunderstanding Name or common name.

5.3 Dimensions

Carpet bulk should indicate the length, width dimensions, carpet width dimension should be marked.

5.4 Pile carpet face fiber names and content

INGREDIENT NAME pile carpet shall be indicated and labeled fiber content, fiber content shall comply FZ/T 01053's.

Carpet 5.5 Total thickness (mm) and the carpet pile substrate thickness (mm) or height (mm) the total thickness of the carpet should QB/T 1089 determines, based on the carpet pile thickness should QB/T 1555 is determined. Hand press carpet pile length GB/T 15965

determined.

5.6 Total mass per unit area (g/m²)

Carpets total mass per unit area should QB/T 1188 OK.

Pile weight per unit area of the carpet base 5.7 (g/m²) Carpets group on carpet pile weight per unit area should QB/T 1188 is determined. Hand tufted carpets may indicate the number of channels or stitches.

5.8 Product standard number

National standards should indicate the product performed, industry standard or enterprise standard.

5.9 Product Quality rating

Product standards clearly defined quality level of products, product standards should be required to indicate the level of product quality.

5.10 Product quality inspection certificate

Domestic production of qualified products, every single product (sales unit) should have the factory inspection certificate, and indicate the date of expiration.

6.1 Products for carpeting locations grading and labels

Machine-made pile carpets should be provided using a hierarchical or labels indicating that the product is most suitable for use with a paved area (place). Use classification and calculation methods see Appendix A and Appendix B. Wear Index is calculated and luxury class, see Appendix C, using a hierarchical, luxury rating See Appendix D.

Additional 6.2 (optionally) instructions and flag information If the product is treated with a special processing, other physical properties when provided, may be marked or selection flag corresponding to, and labeled test Methods and achieved technical level. Examples of corresponding labels in Appendix E.

Form and instructions for use of claim 7

7.1 Takes the form

Carpet manufacturer or seller can take any of the following forms provided for use.

- a) the use of the carpet or labels to be sewn, stuck on or attached on a carpet product;
- b) printed directly on the packaging;
- c) provide information accompanying the product.