



**NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

GB 4806.2-2015

National Food Safety Standard -- Nipple

食品安全国家标准 奶嘴

(English Translation)

Issued on: September 22, 2015

Implemented on: September 22, 2016

Issued by: National Health and Family Planning Commission of China

Table of Contents

Foreword...	3
1 Scope...	4
2 Basic requirements...	4
3 Technical requirements...	4
4 Others...	6

Foreword

This Standard replaces GB 4806.2-1994 Hygienic standard for rubber nipple.

Compared with GB 4806.2-1994, the main changes of this Standard are as follows.

- modified the standard's name to "National Food Safety Standard - Nipple";
- modified the standard's structure;
- modified the standard's scope;
- added general requirements;
- added requirements for raw material in technical requirements;
- modified and added physical and chemical indicators;
- added requirements for natural latex marking.

National Food Safety Standard - Nipple

1 Scope

This Standard applies to the nipple which takes natural rubber, Cis-1,4-polyisoprene rubber, silicone rubber as raw material to process.

This Standard is not applicable to pacifier.

2 Basic requirements

Nipples should meet the general safety requirements for food contact materials and products in relevant national food safety standards.

3.1 Requirements for raw material

The natural rubber, Cis-1,4-polyisoprene rubber, silicone rubber should comply with the provisions of Relevant national food safety standards or regulations. Other rubbers must not be used to product nipple except natural rubber, Cis-1,4-polyisoprene rubber, silicone rubber.

3.3 Physiochemical indicators

The physiochemical indicators should comply with the provisions of Table 2.

3.4 Additives

The use of additives should comply with the provisions of GB 9685 and other relevant regulations.

4.1 Migration test

Migration test conditions and method selection, sample pre-treatment, the expression of results shall be implemented in accordance with the provisions of GB 31604.1 and GB 5009.156, unless expressly stated in this Standard.

.....