

ICS 37.100.10
CCS N 47



**NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

GB/T 10992.3-2008

Replacing GB/T 10992.3-1999

**Electrostatic copying machines -- Part 3: Engineering copiers
(English Translation)**

Issued on: July 2, 2008

Implemented on: December 1, 2008

Issued by: Standardization Administration of China

Table of Contents

Introduction	
1 Scope	
2 Normative references	
3 Terms and definitions	
4 Requires	
4.1 Basic requirements	
4.2 Operating Conditions	
4.3 Resistance to transport, storage and environmental performance	
4.4 Appearance of quality	
4.5 Security features	
4.6 General Performance	
3 4.7 feed fault	
4.8 Operation Examination	
4.9 Voltage fluctuation run	
4.10 Environmental protection requirements	
4.11 5 reliability requirements	
4.12 Copy product quality	
5 Test methods and rules	
5.1 Test conditions	
5.2 Test Rule	
5.3 Resistance to transport, storage and environmental testing	
5.4 Appearance quality	
6 5.5 Safety performance test	
5.6 General Performance Test	
7 5.7 feed fault detection	
5.8 Acceptance Test run	
5.9 Voltage fluctuation test run	
5.10 Environmental Inspection	
5.11 Copy product sampling and quality testing	
9 6 Inspection Rules	
7 Signs, packaging, transportation and storage	

Foreword

GB/T 10992 "electrostatic copier" is divided into three parts.

- Part 1. document copying;
- Part 2. portable copier;
- Part 3. engineering drawings copier.

This section GB/T 10992 Part 3.

This part is GB/T 10992.3-1999 "electrostatic copying engineering drawings copier" amendments.

This Part replaces GB/T 10992.3-1999 "electrostatic copying engineering drawings copiers." this section compared with the GB/T 10992.3-1999, the main contents modified as follows.

- The scope of the words "This standard applies to the use of dry developer, heat fixing, plain paper, A0 format engineering drawings copiers below";
- 4.10.2 ozone from "not more than 0.3mg/m³" to "not more than 0.2mg/m³";
- 4.10.3 by the Dust "is not more than 10mg/m³" to "no more than 0.25mg/m³";
- Increase the maximum concentration clause 4.10.4 styrene does not exceed 0.07mg/m³;
- 5.1.1 "temperature 15 °C ~ 25 °C, relative humidity of 45% to 65%" to "temperature 18 °C ~ 28 °C, relative humidity 40% to 60% ";
- Remove Appendix A.

This section also made other standard editorial changes.

This part is proposed by China Machinery Industry Federation.

This part of the National copying machine Standardization Technical Committee.

This section is drafted. Country office equipment and supplies for Quality Supervision and Inspection Center, Canon (China) Co., Ltd.

1 Scope

This section specifies the requirements for engineering drawings electrostatic copier products, test methods and rules, inspection rules and signs, packaging, transportation and storage.

This section applies to the use of dry developer, heat fixing, plain paper, engineering drawings copiers A0 format below.

2 Normative references

The following documents contain provisions which, through reference in this text, constitute provisions of this part. For dated references, subsequent Amendments (not including errata content) or revisions do not apply to this section, however, encourage the parties to this part of the research agreement Whether the latest versions of these documents. For undated reference documents, the latest versions apply to this section.

GB/T 191-2000 Packaging - Pictorial signs GB 1002-1996 Household and similar single-phase plug and socket type, basic parameters and dimensions GB 2099.1-1996 plug socket for household and similar purposes - Part 1. General requirements (eqv IEC 884-1:1994) GB/T 2829-2002 period inspection Sampling procedures and sample forms (for checking the stability of the production process) GB/T 4591-2005 electrostatic image Beta GB 4943-2001 Safety of information technology equipment (eqv IEC 60950:1999) GB 5023.5-1997 rated voltage of 450/750V and below PVC insulated cables Part 5. Flexible cables (cords) GB/T 10073-2008 xerographic image quality evaluation method product GB/T 13334-2008 debugger version A3 copier GB/T 13963-2008 copier term GB/T 14436-1993 General industrial products assurance documents GB/T 15464-1995 instrumentation packaging technology GB 15934-1996 wire components (idt IEC 799. 1984) GB/T 16981-2008 Information technology - Office equipment Copier Specifications table should contain the basic content (idt ISO/IEC 11159:1992) GB/T 17465.1-1998 household appliance couplers and similar purposes Part 1. General requirements GB/T 17712-1999 Duplicator and document copying graphic symbols GB 19462-2004 electrostatic copier copying machine environmental requirements of environmental protection requirements JB/T 8274-1995 xerographic printing drain Beta JB/T 9444.1 ~ 9444.11-1999 Basic environmental test methods for copying machinery

3 Terms and Definitions

GB/T 13963-2008 and established the following terms and definitions apply to this section.

Copy format in A3 above, I class protection against electric shock electrostatic copier.

Maximum copy paper engineering drawings copiers used width.