

ICS 29.060.20

CCS K13



**NATIONAL STANDARD OF THE  
PEOPLE'S REPUBLIC OF CHINA**

**GB/T 11016.1-2009**

Replacing GB/T 11016.1-1989

---

**Plastic or rubber insulated telephone cords - Part 1: General**

塑料绝缘和橡皮绝缘电话软线 第1部分：一般规定

**Issued on: March 19, 2009**

**Implemented on: December 1, 2009**

---

**Issued by: General Administration of Quality Supervision, Inspection and  
Quarantine of the People's Republic of China;  
Standardization Administration of China**

## Table of Contents

- 1 Scope
- 2 Normative references
- 3 Terms and Definitions

### Foreword

GB/T 11016 "plastic or rubber insulated telephone cords" is divided into four parts.

- Part 1. General requirements;
- Part 2. PVC insulated telephone cords;
- Part 3. Polypropylene insulated telephone cords;
- Part 4. Rubber insulated telephone cords. This section GB/T Part of 111,016. This Part replaces GB/T 11016.1-1989 "plastic or rubber insulated telephone cords general provisions." This section compared with the GB/T 11016.1-1989 The main changes are as follows:
  - Increase the "Normative references" (1989 edition no; Chapter 2 of this section);
  - According to GB/T 1.1-2000 requirements of the former version of the standard format to be modified. This part is proposed by the China Electrical Equipment Industrial Association. This part of the National Standardization Technical Committee Wire and Cable (SAC/TC213) centralized. This part of the unit responsible for drafting. Shanghai Electric Cable Research Institute. Participated in the drafting of this section. Hai Saik force on Optical Cable Co., Ltd., Ningbo, a boat Investment Group Co., Ltd., Wenzhou Yaohua Electric Communications Limited. The main drafters of this section. Song Jie, Chen Jiande, Wang Qingsong, Xinxiu Dong, Ye Qinghua, Lu Xiang, Geely, Zou Ye Long, Meng Qingfeng, Gao Huan. This part of the standard replaces the previous editions are.
  - GB/T 11016.1-1989. Plastic or rubber insulated telephone cords Part 1. General requirements

### 1 Scope

GB/T 11016.1-2009 is the Chinese national standard on plastic or rubber insulated telephone cords - part 1: general, in the field of electrical engineering. The /T suffix marks it as a recommended standard: it is not compulsory by itself, but it becomes binding as soon as a contract, a tender or a customer specification calls it up - which in practice is how most foreign buyers meet it. It was issued on 19 March 2009 by the General Administration of

Quality Supervision, Inspection and Quarantine of the People's Republic of China; Standardization Administration of China, and has been in force since 1 December 2009. Classification: ICS 29.060.20, CCS K13. This page is published from the official record of the standard held by the Chinese standards administration: the identification, the dates, the classification and the issuing body are taken from there. The clause text, the tables and the numeric limits are in the document itself, which is delivered complete in English translation.

GB/T 11016 provisions of this part of the plastic or rubber insulated telephone cords Categories General technical requirements and test methods, Inspection rules, packaging and signs. This section applies to connect the telephone base and the telephone junction box and connected to the handle or switch and plug with plastic and rubber insulation Insulated telephone cords.

## 2 Normative references

The following documents contain provisions which, through reference

GB/T 11016 in this section constitute provisions of this section. For dated reference documents Member, all subsequent amendments (not including errata content) or revisions do not apply to this section, however, encouraged to reach under this section Parties to research agreement to use the latest versions of these documents. For undated reference documents, the latest versions apply to this section.

GB/T 2900.10-2001 Electrotechnical terminology cable (idt IEC 6005 (461). 1984)

GB/T 3953-2009 electrician round copper wire

GB/T 6995.2-2008 wire and cable identification - Part 2. Standard colors

GB/T 11016.2-2009 plastic or rubber insulated telephone cords - Part 2. PVC insulated telephone cords

GB/T 11016.3-2009 plastic or rubber insulated telephone cords - Part 3. Polypropylene insulated telephone cords

GB/T 11016.4-2009 plastic or rubber insulated telephone cords - Part 4. Rubber insulated telephone cords

## 3 Terms and Definitions

GB/T 2900.10-2001 established and the following terms and definitions apply to this standard.

3.1 Before the test conducted by a certain kind of cable specified by the manufacturer in the supply cable standard, to demonstrate the use of having a meet predetermined criteria Good performance. Type test done after a general no longer be repeated. However, the materials used in wire and cable, structure and process changes have affected When

performance wire and cable, the test shall be repeated; or as otherwise specified in the product standard time, such as regular tests, should be required to also repeated Line test.

3.2 Drawn wire and cable manufacturer in accordance with the full batch manufacturing, and test specimens cut therefrom or elements of.

3.3 Factory test for all of the finished wire cable.

chinastandards.org - PREVIEW