

ICS 31.030

CCS L90



**NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

GB/T 14620-2013

Replacing GB/T 14620-1993

Alumina ceramic substrates for thin film integrated circuits

薄膜集成电路用氧化铝陶瓷基片

Issued on: November 12, 2013

Implemented on: April 15, 2014

**Issued by: General Administration of Quality Supervision, Inspection and
Quarantine of the People's Republic of China;
Standardization Administration of China**

Table of Contents

- 1 Scope
- 2 Normative references
- 3 Terms and Definitions
- 4 Logo and designation

Foreword

This standard was drafted in accordance with GB/T 1.1-2009 given rules. This standard replaces GB/T 14620-1993 "thin film integrated with an alumina ceramic substrate," compared with the GB/T 14620-1993, The main changes are as follows:

- Increasing the terms and product identification (see Chapters 3 and 4);
- Increasing the nominal aluminum oxide content can not be less than the actual content of the request (see 4.3);
- Refine the indicators likely to impact on the substrate dimensions before and after the dash (see 5.2.2);
- Increase the straightness of the substrate requirements (see Table 2);
- Distinguish sintering and polishing a substrate (see Tables 1 and 5);
- Test substrate warpage will be described in detail (see Appendix A). The standard proposed by the Ministry of Industry and Information Technology of the People's Republic of China. The standard by the China Electronics Standardization Institute. This standard was drafted. China Electronics Standardization Institute. Drafters of this standard. Cao Yi, T.. The standard standard replaces the previous editions.
- GB/T 14620-1993. Thin film integrated circuit with an alumina ceramic substrate

1 Scope

GB/T 14620-2013 is the Chinese national standard on alumina ceramic substrates for thin film integrated circuits, in the field of electronics. The /T suffix marks it as a recommended standard: it is not compulsory by itself, but it becomes binding as soon as a contract, a tender or a customer specification calls it up - which in practice is how most foreign buyers meet it. It was issued on 12 November 2013 by the General Administration of Quality Supervision, Inspection and Quarantine of the People's Republic of China; Standardization Administration of China, and has been in force since 15 April 2014. Classification: ICS

31.030, CCS L90. This page is published from the official record of the standard held by the Chinese standards administration: the identification, the dates, the classification and the issuing body are taken from there. The clause text, the tables and the numeric limits are in the document itself, which is delivered complete in English translation.

This standard specifies the thin film integrated alumina ceramic substrate requirements, test methods, inspection rules, marking, packaging, transport and Storage. This standard applies to the thin film integrated circuit with an alumina ceramic substrate (hereinafter referred to as "substrate") production and procurement, the use of thin-film technology Chip components alumina ceramic substrate can also refer to use.

2 Normative references

The following documents for the application of this document is essential. For dated references, only the dated version suitable for use herein Member. For undated references, the latest edition (including any amendments) applies to this document.

GB/T 1958 Geometrical Product Specifications (GPS) shape and position tolerance testing requirements

GB/T 2413 piezoelectric ceramic material bulk density measurement method

GB/T 2828.1 Sampling procedures for inspection - Part 1. by acceptance quality limit (AQL) retrieval batch inspection sampling plan

GB/T 2829 Periodic inspection Sampling procedures and sample forms (for checking the stability of the production process)

GB/T 5593 structure ceramic electronic components

GB/T 5594.3 Electronic Component structure ceramic average linear expansion coefficient Test Method Test Method

GB/T 5594.4 electronic structure ceramic components testing methods dielectric loss tangent of the test method

GB/T 5594.5 electronic structure ceramic components volume resistivity test methods Test Method

GB/T 5594.7 electronic structure ceramic components liquid permeability test method Test Method

GB/T 5598 beryllium oxide ceramic thermal conductivity measurement method

GB/T 6062 Geometrical product specifications (GPS) Surface texture Profile method of contact (stylus) instruments nominal characteristics

GB/T 6900 LAS Chemical analysis of refractories

GB/T 9531.1 electronic ceramic parts technical conditions

3 Terms and Definitions

Terms and definitions GB/T 14619-2013 defined apply to this document.

4 Logo and designation

4.1 General Substrates of five groups underlined symbols (letters or numbers) identifies, among the set of numbers separated by hyphens, identified examples are as follows: