

ICS 29.120.40
CCS K64



**NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

GB/T 15092.1-2020

Replacing GB/T 15092.1-2010

Switches for appliances - Part 1: General requirements

器具开关 第1部分：通用要求

(English Translation)

Issued on: December 14, 2020

Implemented on: July 1, 2021

**Issued by: State Administration for Market Regulation, China National
Standardization Administration**

Table of Contents

1	Scope
2	Normative references
3	Terms and Definitions
5	General precautions for testing
8	Signs and documents
9	Protection against electric shock
10	Grounding device
11	Terminals and terminals
12	Structure
14	Protection against solid foreign objects, water and moisture
15	Insulation resistance and dielectric strength
16	Fever
17	Durability46
18	Mechanical strength
19	Screws, current carriers and couplings
21	Fire hazard
23	Abnormal operation and fault conditions of switches
25	Electromagnetic compatibility (EMC) requirements
1	Scope
2	Normative references
3.2.8	Over-voltage over-voltage
3.2.9	Over-voltage category over-voltage
3.2.10	Impulse withstand voltage impulse
3.2.11	Minimum load minimum
3.2.12	Equivalent heating current thermal
3.3	Terms and definitions for different types of switches
3.3.1	Attached switch incorporated
3.3.7	Pull switch cord-operated
3.3.8	Push-pull switch push-pul
3.3.9	Automatic reset switch biased
3.4	Terms and definitions for switching operation
3.4.2	Indirect drive indirect

- 3.4.4 Transmission mechanism actuating
- 3.4.6 Micro disconnect micro-disconnection
- 3.4.8 Completely disconnect full-disconnection
- 3.4.9 Single-phase all-pole disconnection all-pole
- 3.4.11 Electronic actuator electronic
- 3.4.13 Abnormal situation abnormal
- 3.5 Terms and definitions for switch connections
 - 3.5.1 External conductor external
 - 3.5.2 Built-in conductor integrated
- 3.6 Terms and Definitions for Terminals and Ends
 - 3.6.3 Post terminal pillar
 - 3.6.7 Lug terminal lug
 - 3.6.8 Sleeve type (shroud type) terminal mantle
 - 3.6.11 Flat quick-connect terminal flat
 - 3.6.12 Insert tab
 - 3.6.13 Socket female
 - 3.6.14 Solder terminal solder
- 3.7 Terms and definitions for insulation
 - 3.7.2 Additional insulation supplementary
 - 3.7.3 Double insulation double
 - 3.7.4 Reinforced insulation reinforced
 - 3.7.6 Coating layer coating
 - 3.7.8 Class 0 appliance class
 - 3.7.9 Class ? appliance class
 - 3.7.10 Class ? appliance class
 - 3.7.11 Class ? appliance class
 - 3.7.12 Relative tracking index comparative
- 3.8 Terms and definitions related to pollution
 - 3.8.3 Macro environment macro-environment
 - 3.8.4 Pollution level pollution
- 3.9 Terms and definitions related to the manufacturer's test
 - 3.9.2 Sampling test sampling
 - 3.9.3 Type test type
- 5 General precautions for testing
 - 5.1 Tests required by this clause

5.1.7 Switches with non-detachable leads are tested with the leads connected.

5.1.8 If the switch has inserts, proceed to Chapter 16 (this Part) and Chapter 17 (GB/T

5.2 Electrical Precautions

What is delivered

The English PDF of this standard, delivered to your email address.

Instant delivery: the file is sent automatically after payment.