

ICS 29.180
CCS K 41



**NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

GB/T 20840.1-2026

Replacing GB/T 20840.1-2010, GB/T 20840.6-2017

**Instrument transformers - Part 1: General technical
requirements**

互感器 第1部分：通用技术要求

(English Translation)

Issued on: July 30, 2026

Implemented on: February 1, 2027

Issued by: State Administration for Market Regulation

Table of Contents

Preface	
Introduction	
1 Scope	
2 Normative References	
3 Terms, definitions, symbols, and abbreviations	5.
3.1 Terms and Definitions	
3.2 Symbols and Abbreviations	
4 Normal and special environmental conditions	6.
4.2 Normal Environmental Conditions	
4.3 Special Environmental Conditions	
5 Rated value	
5.1 General Requirements	
5.2 Voltage Rated Value	
5.3 Rated current	
5.4 Insulation rating	
5.5 Rated Frequency (fr)	
5.6 Rated output	
5.7 Accuracy level requirement	
6 Design and Structure	
6.1 Requirements for the liquids used in the equipment	
6.2 Requirements for the gas used in the equipment	
6.3 Requirements for solid materials used in the equipment	
6.4 Temperature rise requirements for parts and components	
6.5 Equipment grounding requirements	
6.6 External insulation requirements	
6.7 Mechanical strength requirement	
6.8 Multiple truncation impacts at a single end	
6.10 Enclosure protection rating	
6.11 Electromagnetic Compatibility (EMC)	
6.12 Corrosion	
6.13 Mark	
6.14 Requirements for LPIT secondary terminal connections	

- 6.15 EIT secondary signal-to-noise ratio
- 6.16 Fire Hazard
- 6.17 The inflatable shell withstands a pressure of 34.
- 6.18 Fault Detection of EIT
- 6.19 Operability
- 6.20 Reliability and Trustworthiness of EIT Electronic Devices
- 6.21 Vibration requirement
- 6.22 Storage tolerance to climatic conditions.
- 7 Experiment
 - 7.1 General Rules
 - 7.2 Type testing
 - 7.3 Routine Tests
 - 7.4 Special Tests
 - 7.5 Commissioning Test
- 8 Rules for Transportation, Storage, Installation, Operation and Maintenance
 - 8.1 General requirements
 - 8.2 Transportation, storage and installation conditions
 - 8.3 Install
 - 8.4 Running
 - 8.5 Maintenance
 - 8.6 Fault Report
- 9 Security
- 10 The impact of products on the natural environment
- Appendix A (Informative) Comparison of this document with IEC 61869-1:2023 structural numbering
- Appendix B (Informative) Technical Differences between this Document and IEC 61869-1:2023 and Their Reasons
- Appendix C (Normative) Seismic Performance of Instrument Transformers
 - C.1 Scope
 - C.2 Earthquake Conditions
 - C.3 Seismic performance verification requirements
 - C.4 Verification Procedure
 - C.5 Validity of the verification
- Appendix D (Informative) Guidelines for Calculating the Equivalent Diameter of Irregularly Shaped Insulating Components
 - D.1 Overview

D.3 Ungrounded Voltage Transformer

Appendix E (Normative) Fire Hazard

E.1 Fire hazard

E.2 Fire Hazard Test

Appendix F (Informative) Extended Guidelines for the Validity of Type Tests or Special Tests for Instrument Transformers

F.1 Overview

F.2 Information Required for Type Testing Validity Extension

F.3 Implementation of the Extended Criterion

Appendix G (Normative) Specimen Validation

G.1 General Rules

G.2 Document

G.3 Pattern

Appendix H (Informative) Method for determining the thermal time constant by experimental estimation in instrument transformer temperature rise test

Appendix I (Informative) Experimental Circuit

I.1 Test Circuit for Steady-State Accuracy Measurement of Analog Secondary Signal Current Transformer

I.2 Test Circuit for Steady-State Accuracy Measurement of Analog Secondary Signal Voltage Transformer

Appendix J (Normative) Sampling Test

J.1 Sampling Test Definition

J.2 Sampling Test

K.1 Overview

K.2 Report Content

References

Foreword

This document complies with the provisions of GB/T 1.1-2020 "Standardization Work Guidelines Part 1: Structure and Drafting Rules of Standardization Documents".

Drafting.

This document is Part 1 of GB/T (Z)20840 "Mutual Inductors". GB/T (Z)20840 has the following parts published.

---Part 1: General Technical Requirements;

---Part 2: Supplementary Technical Requirements for Current Transformers;

- Part 3: Supplementary Technical Requirements for Electromagnetic Voltage Transformers;
- Part 4: Supplementary Technical Requirements for Combined Instrument Transformers;
- Part 5: Supplementary Technical Requirements for Capacitive Voltage Transformers;
- Part 7: Electronic Voltage Transformers;
- Part 8: Electronic Current Transformers;
- Part 9: Digital Interface of Instrument Transformers;
- Part 10: Supplementary Technical Requirements for Low-Power Passive Current Transformers;
- Part 11: Supplementary Technical Requirements for Low-Power Passive Voltage Transformers;
- Part 14: Supplementary Technical Requirements for DC Current Transformers;
- Part 15: Supplementary Technical Requirements for DC Voltage Transformers;
- Part 99: Terminology;
- Part 102: Ferromagnetic Resonance in Substations with Electromagnetic Voltage Transformers;
- Part 103: Application of instrument transformers in power quality measurement.

This document supersedes GB/T 20840.1-2010 "Electrical Transformers - Part 1: General Technical Requirements" and GB/T 20840.6-2017 "Electrical Transformers - Part 1: General Technical Requirements".

"Instruments - Part 6: Supplementary General Technical Requirements for Low-Power Instrument Transformers". This document is based on GB/T 20840.1-2010 and integrates...

The content of GB/T 20840.6-2017. Compared with GB/T 20840.1-2010, apart from structural adjustments and editorial changes, the main technical differences are...

The changes are as follows.

- Added all the content of GB/T 20840.6-2017 (see full text);
- The scope of application has been changed to apply to AC systems with a nominal voltage greater than 1kV or DC systems with a rated frequency of [missing information].
DC high-voltage equipment for 15Hz~400Hz or DC applications (see Chapter 1, Chapter 1 of GB/T 20840.1-2010);
- Terms and definitions are changed to directly reference the terms and definitions defined in GB/T 20840.99 (see Chapter 3, GB/T 20840.1-).