

ICS 25.040.40; 35.240.50
CCS N 10



**NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

GB/T 21099.4-2024

Replacing GB/T 21099.4-2010

**Devices and integration in enterprise systems - Function
blocks(FB) for process control and electronic device
description language(EDDL) - Part 4: EDD interpretation
(English Translation)**

Issued on: November 28, 2024

Implemented on: June 1, 2025

**Issued by: State Administration for Market Regulation, China National
Standardization Administration**

Table of Contents

Preface
Introduction
1 Scope
2 Normative references
3 Terms and Definitions, Acronyms and Abbreviations and Conventions
3.1 General Terms and Definitions
3.2 Terms and definitions related to modular equipment
3.3 Abbreviations and abbreviations
3.4 Convention
4 EDDL User Interface Description
4.1 Overview
4.2 Menu conventions for handheld device applications
4.3 Menu conventions based on PC applications
4.3.1 Overview
4.3.2 Online Root Menu
4.3.3 Offline Root Menu
4.3.4 EDD menu structure example
4.3.5 User Interface
4.4 Label association for indirect variable references
4.4.1 Overview
4.4.2 Simple variable reference
4.4.3 Complex variable references
4.5 Help in connecting
4.5.1 Overview
4.5.2 Simple variable reference
4.5.3 Complex variable references
4.6 Containers and container items
4.6.1 Overview
4.6.2 Allowed and default styles
4.6.3 Container
4.6.4 Container Item
4.7 Layout Rules

4.7.1 Overview	
4.7.2 Controlling layout with the LAYOUT_TYPE attribute	
4.7.3 Layout of WIDTH and HEIGHT	
4.7.4 COLUMNBREAK and ROWBREAK layout rules	
4.7.5 Layout Example	
4.7.6 Traditional User Interface	
4.8 Graphic elements	
5 EDDL Data Description	
5.1 Device Data Stored by EDDL Applications	
5.1.1 Overview	
5.1.2 FILE	
5.1.3 LIST	
5.2 Exposing Data Items Outside of an EDD Application	
5.3 Initializing the EDD Instance	
5.3.1 Overview	
5.3.2 Initialization support	
5.3.3 TEMPLATE	
5.4 Device Model Mapping	
5.4.1 BLOCK_A	
5.4.2 BLOCK_B	
6 EDDLMETHOD Programming and Use of Built-in Functions	
6.1 Method environment	
6.1.1 Overview	
6.1.2 Security	
6.1.3 Equipment data	
6.1.4 Method Type and Parameters	
6.1.5 Termination Processing	
6.2 Implementation requirements	
6.3 BuiltinMenuDisplay	
6.4 Division by Zero and Indeterminate Floating-Point Values	
6.4.1 Integer and Unsigned Integer Values	
6.4.2 Floating-point values	
7 Modular Equipment	
7.1 Overview	
7.2 EDD Identification	

- 7.3 Instance Object Model
- 7.4 Offline Configuration
- 7.5 Online Configuration
- 7.6 Simple Modular Device Example
 - 7.6.1 Overview
 - 7.6.2 Example of a separate EDD file with direct EDD references
 - 7.6.3 Example of a separate EDD file for classified EDD references and interfaces
 - 7.6.4 An Example of an EDD File
 - 7.6.5 Combination of single and separate modular equipment examples
- 7.7 Uploading and downloading modular devices
- 7.8 Diagnosis
- 7.9 Reading Modular Device Topology
 - 7.9.1 SCAN
 - 7.9.2 Detection module type
- 7.10 Configuration Check
- 8 Session Management
 - 8.1 Overview
 - 8.2 Data Management
 - 8.2.1 Overview
 - 8.2.2 Online Session Cache
 - 8.2.3 Offline Session Cache
 - 8.2.4 Dialog Box and Window Cache
 - 8.2.5 Cache METHODS
 - 8.3 UI Aspects of Editing Sessions
 - 8.4 User Roles
- 9 Offline and Online Configuration
 - 9.1 Overview
 - 9.2 Offline Datasets
 - 9.3 Offline Configuration
 - 9.4 Online Datasets
 - 9.5 Online Configuration
 - 9.6 Upload and Download
 - 9.6.1 Overview
 - 9.6.2 Error Recovery
 - 9.6.3 Upload Process

9.6.4 Download Program

10 EDDL Communication Description

10.1 General requirements

10.2 Parsing data received from the device

10.3 Parsing Complex Data Items

10.4 FoundationFieldbus

10.5 ISA100_Wireless Communication Model

Appendix A (Normative) Device Simulation

Appendix B (Informative) Predefined Identifiers

Appendix C (Informative) Description of EDDL Profile

Appendix D (Normative) Upload/Download Cache Model

References

Figure 1 EDD example of root menu

Figure 2 Example of EDD application for diagnosis 11

Figure 3 EDD application example of process variables 11

Figure 4 EDD application example of primary variable

Figure 5 Example of EDD application of process-related equipment characteristics

Figure 6 EDD application example of device characteristics

Figure 7 Example of EDD application for maintenance characteristics

Figure 8 Usage of COLLECTIONMEMBERS in STYLEGROUPMENU

Figure 9 shows a single bit 23 of BIT_ENUMERATED

Figure 10 shows multiple bits of BIT_ENUMERATED

Figure 11 EDD application example 24 of a variable of type BIT_ENUMERATED

Figure 12 EDD example of a "write only" variable (HANDLINGWRITE)

Figure 13 Basic layout elements

Figure 14 Example of a layout with equal column widths

Figure 15 Layout example of optimized column width

Figure 16 Optimizing the cell body layout with column width (label on the left)

Figure 17 Optimizing the cell body layout with column width (label at the top)

Figure 18 EDD source code for VARIABLEs laid out across columns

Figure 19 Variables layout across multiple columns

Figure 20 Example of EDD source code highlighting element layout

Figure 21 Layout of highlighted elements

Figure 22 EDD source code example of partially filled row layout

Figure 23 Layout of partially filled rows