

ICS 97.220.10

CCS Y55



**NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

GB/T 23117-2008

Hurdle

跨栏架

Issued on: December 30, 2008

Implemented on: September 1, 2009

**Issued by: General Administration of Quality Supervision, Inspection and
Quarantine of the People's Republic of China;
Standardization Administration of China**

Table of Contents

- 1 Scope
- 2 Normative references
- 4 Requirements

Foreword

This standard adopts the International Association of Athletics Federations (IAAF) "Competition Rules 2008" and the Chinese Athletic Association audited "Track and Field Competition Rules All technical parameters 2008 "and related equipment. The standard proposed by China National Light Industry Council. This standard by the National Standardization Center stationery. This standard was drafted. Beijing Flying Deer Sports Goods Co., Ltd., Jiangsu Jinling Sports Equipment Co., Ltd., Guangzhou Beas sporting Commodities Group Co., Ltd. Dingzhou City Universal Sports Equipment Factory, Zhongshan athlete fitness equipment Ltd. Shandong Jilu Sports Equipment Co., Beijing Crown Sporting Goods Co., Ltd., Ningbo Qi Sheng Sports Equipment Co., Ltd. The main drafters of this standard. Recycled Beijing, Li Chunrong, Luo Wen-hui, Caozhen Rui, Li Yansheng, Zhang India, Yuefeng, Lu Liqing. Hurdles

1 Scope

GB/T 23117-2008 is the Chinese national standard on hurdle, in the field of domestic and commercial equipment, entertainment, sport. The /T suffix marks it as a recommended standard: it is not compulsory by itself, but it becomes binding as soon as a contract, a tender or a customer specification calls it up - which in practice is how most foreign buyers meet it. It was issued on 30 December 2008 by the General Administration of Quality Supervision, Inspection and Quarantine of the People's Republic of China; Standardization Administration of China, and has been in force since 1 September 2009. Classification: ICS 97.220.10, CCS Y55. This page is published from the official record of the standard held by the Chinese standards administration: the identification, the dates, the classification and the issuing body are taken from there. The clause text, the tables and the numeric limits are in the document itself, which is delivered complete in English translation.

This standard specifies the classification Hurdles, requirements, test methods, inspection rules and signs, packaging, transportation and storage. This standard applies to race and practice with the Hurdles Hurdles.

2 Normative references

The following documents contain provisions which, through reference in this standard and become the standard terms. For dated references, subsequently Some amendments (not including errata content) or revisions do not apply to this standard, however, encourage the parties to the agreement are based on research Study whether the latest versions of these documents. For undated reference documents, the latest versions apply to this standard.

GB/T 191 Packaging - Pictorial signs (GB/T 191-2008, ISO 780.1997, MOD)

GB/T 2828.1-2003 Sampling procedures for inspection - Part 1. by acceptance quality limit (AQL) retrieval batch test sample Programme (ISO 2859-1.1999, IDT)

GB/T 2829-2002 periodic inspection Sampling procedures and tables (suitable for process stability test) QB/T 3826-1999 light industrial products metal coating and corrosion test methods for neutral salt spray test chemical treatment layer (NSS) method QB/T 3832-1999 Evaluation of light industrial products metal coating corrosion test results Category

3 Hurdles according to the requirements of different games and exercises are divided into two kinds. Hurdles and its various parts shown in Figure 1. Figure 1

4 Requirements

4.1 Hurdle frame height should be adjusted to. $762\text{mm} \pm 3\text{mm}$, $840\text{mm} \pm 3\text{mm}$, $914\text{mm} \pm 3\text{mm}$, $990\text{mm} \pm 3\text{mm}$, $1067\text{mm} \pm 3\text{mm}$.

4.2 Hurdle frame width should be $1180\text{mm} \sim 1200\text{mm}$, length of the base should be less than equal to 700mm .