Chinastandards.org

ICS 25.040
CCS N 10

NATIONAL STANDARD OF THE

PEOPLE'S REPUBLIC OF CHINA

GB/T 25740.1-2013

Replacing GB/Z 25740.1-2010

PROFIBUS and PROFINET technical profile PROFI drive -- Part 1: Profile specifications

PROFIBUS PROFINET 技术行规 PROFIdrive 第1部分：行规规范

(English Translation)

Issued on: December 31, 2013 **Implemented on: August 1, 2014**

Issued by: Standardization Administration of China

Preview: page 1 of 5 shown, 101 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/gb-t-25740-1-2013

Chinastandards.org

Table of Contents

Preface
Introduction
1 Scope
2 Normative references
3 Terms, Definitions and Abbreviations
3.1 Terms and definitions
3.2 Acronyms
4 Overview
4.1 Features
4.2 Requirements
4.3 PROFIdrive profiles of target
7 5 Data Types
7 5.1 Overview of Data Types
5.2 Standard data types
5.3 Profiles specific data type
6 Specification
6.1 Drivers integrated automation system
6.2 Parameter Model
6.3 Application of process control drive
6.4 143 parameter definitions
6.5 Process art integrated drive
References
2 PROFIdrive equipment and communication relationships
3 Universal communication model PROFIdrive automation system
Hierarchical object model Figure 5
Generic Model Figure 8 clock-synchronized operation of
9 Basic model of the state machine
10 Universal drive unit model
11 Generic driver object structure
The main function of the type of drive shaft 12 model object
13 Classification PROFIdriveP-Device Fig.
14 Classification map PROFIdrive drive unit

Preview: page 2 of 5 shown, 101 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/gb-t-25740-1-2013

16 Applications Class

17 Applications Class

18 Applications Class

20 Applications Class

21 Application Class

23 Word and double word byte order

24 Basic mode parameter access data stream

General state diagram in Figure 27 for all operating modes

28 Applications have common functionality Class 1 functionality PROFIdrive axis DO

29 For applying speed class 1 and class 4 applications setpoint channel

32 General-purpose application class has 3 functions PROFIdrive axis DO

Under 33 program function sub-mode motion controller

36 Return to the origin program. setting the home position

37 Return to the origin program. termination by the controller

Activate 38 moving tasks

39 Mobile task immediately change

42 With DSC based on the location of the speed setpoint interface control circuit configuration

Example 7 Figure 50. Actual Value Format

52 Position with state and state transition indication of the feedback interface

53 Sensors can acknowledge the error acknowledgment

54 Sensors can not confirm error acknowledgment

Timing Diagram Figure 55. Measurement Operation - Timing

Timing Diagram Figure 56. Operation Measurement - Timing

1 Scope 1

2 Normative references 1

3 Terms, Definitions and Abbreviations 1

3.1 Terms and definitions

3.2 Acronyms 5

4 Overview 6

4.1 Features 6

4.2 Requirements 7

Preview: page 3 of 5 shown, 101 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/gb-t-25740-1-2013

Chinastandards.org

4.3 PROFIdrive profiles of target 7

7 5 Data Types

7 5.1 Overview of Data Types 5.2 standard data types 9 5.3 profiles specific data type 9

6 Specification 13

6.1 drivers integrated automation system 13

6.2 Parameter Model 27

6.3 Application of process control drive 64

6.4 143 parameter definitions

6.5 Process art integrated drive 156

References 163

Figure 1 PROFIdrive structure IX text

2 PROFIdrive equipment and communication relationships 13 3 universal communication model PROFIdrive automation system 14

Figure 4 PROFIdrive equipment (including one or more functional objects) 14

Hierarchical object model Figure 5 15

Figure 6 PROFIdrive base model including the "application layer" and "communication layer" 16

Figure 7 Typical clock synchronization use cases 17

Generic Model Figure 8 clock-synchronized operation of 17 9 basic model of the state machine 18

10 Universal drive unit model 19

11 Generic driver object structure 20

The main function of the type of drive shaft 12 model object 21

13 Classification PROFIdriveP-Device Fig. 21

14 Classification map PROFIdrive drive unit 21

Figure 15 PROFIdrive communication between devices available Services Overview 22

16 Applications Class 123

Preview: page 4 of 5 shown, 101 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/gb-t-25740-1-2013

Chinastandards.org

17 Applications Class 224

18 Applications Class 325

Figure 19 Application class 426

20 Applications Class 526

21 Application Class 627

Figure 22 Example. Global Overview of multi-axis parameters and local parameters/Modular drive unit 40

23 word and double word byte order 41 24 basic mode parameter access data stream 50

Figure 25 PROFIdrive axis type DO generic functional components 65

Figure 26 PROFIdrive axis type DO Function Block Diagram 66

General state diagram in Figure 27 for all operating modes 75 28 applications have common functionality Class 1 functionality PROFIdrive axis DO 77 29 for applying speed class 1 and class 4 applications setpoint channel 78

Figure 30 has the function PROFIdrive application classes 4 axis DO common functions 79

FIG. 31 is used to simplify the application class speed setting channel 4 (optional) 80

32 general-purpose application class has 3 functions PROFIdrive axis DO 81 Under 33 program function sub-mode motion controller 82 FIG. 34 motion controller function in the MDI child mode 83

Figure 35 Figure 84 positioning mode state

36 return to the origin program. setting the home position 86 37 return to the origin program. termination by the controller 86 Activate 38 moving tasks 86 39 mobile task immediately change 87

Figure 40 Configuration example 96 packets

Figure 41 without DSC control circuit based on the location of the speed setpoint interface structure 98

42 with DSC based on the location of the speed setpoint interface control circuit configuration 99

Figure 43 Sensor Interface Example (Sensor 1. two actual value/Sensor 2. an actual value) 102

Figure 44 Example 1. The actual value of the format 105

Figure 45 Example 2. The actual value of the format 105

Preview: page 5 of 5 shown, 101 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/gb-t-25740-1-2013