Chinastandards.org

ICS 25.040
CCS N 10

NATIONAL STANDARD OF THE

PEOPLE'S REPUBLIC OF CHINA

GB/T 25740.2-2013

Replacing GB/Z 25740.2-2010

PROFIBUS and PROFINET Technical Profile PROFI drive -- Part 2: Mapping of Profile to Network Technologies

PROFIBUS PROFINET 技术行规 PROFIdrive 第2部分：行规到网络技术的映射

(English Translation)

Issued on: December 31, 2013 **Implemented on: August 1, 2014**

Issued by: Standardization Administration of China

Preview: page 1 of 5 shown, 47 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/gb-t-25740-2-2013

Chinastandards.org

Table of Contents

Introduction
Introduction
1 Scope
2 Normative references
3 Terms, definitions and abbreviations
3.1 Terms and definitions
3.2 Acronyms
4 To 7 PROFIBUSDP map
4.1 Overview
4.2 To 7 PROFIBUS data type mapping
The basic model 4.3 PROFIBUSDP on
Driver Model 4.4 PROFIBUSDP on
4.5 DOIO data
25 4.6 Parameter access
4.7 P-Device Configuration
4.8 Alarm mechanism
4.9 Clock synchronization
4.10 PROFIBUSDP specific parameters
4.11 Application specific communication class
5 To 59 PROFINETIO map
5.1 Overview
5.2 To PROFINETIO data type mapping
5.3 PROFINETIO basic model
5.4 PROFINETIO driving model
5.5 DOIO data
71 5.6 Parameter access
5.7 P-Device Configuration
5.8 Alarm mechanism
5.9 Clock synchronization
5.10 PROFINETIO specific parameters
5.11 Application of class-specific communication function
References

Preview: page 2 of 5 shown, 47 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/gb-t-25740-2-2013

Chinastandards.org

Relations PROFIdrive device and FIG. 3 PROFIBUSDP on between
P-Device Figure 7 PROFIBUS communication model on
Mapping Figure 8 PROFIBUSDP basic model of the state machine

1 Scope 1

2 Normative references 1

3 Terms, definitions and abbreviations 2

3.1 Terms and definitions 2

3.2 Acronyms 5

4 to 7 PROFIBUSDP map

4.1 Overview 7

4.2 to 7 PROFIBUS data type mapping the basic model 4.3 PROFIBUSDP on 8 Driver Model 4.4 PROFIBUSDP on 13

4.5 DOIO data 14

25 4.6 Parameter access

4.7 P-Device Configuration 32 4.8 alarm mechanism 36

4.9 Clock synchronization 36

4.10 PROFIBUSDP specific parameters 57

4.11 Application specific communication class 58

5 to 59 PROFINETIO map

5.1 Overview 59

5.2 to PROFINETIO data type mapping 59

5.3 PROFINETIO basic model 60

5.4 PROFINETIO driving model 66

5.5 DOIO data 70

71 5.6 Parameter access

5.7 P-Device Configuration 73 5.8 alarm mechanism 74

Preview: page 3 of 5 shown, 47 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/gb-t-25740-2-2013

Chinastandards.org

5.9 Clock synchronization 77

5.10 PROFINETIO specific parameters 79

5.11 Application of class-specific communication function 80

References 81

Figure 1 PROFIdrive file structure VII

Figure 2 PROFIdrive drive system PROFIBUSDP equipment 8

Relations PROFIdrive device and FIG. 3 PROFIBUSDP on between 9

Figure 4 PROFIBUSDP PROFIdrive universal communication model 9

Figure 5 PROFIBUSDPDXB Communication Guide 10

Figure 6 PROFIBUSDP PROFIdrive isochronous communication on 11

P-Device Figure 7 PROFIBUS communication model on 12 Mapping Figure 8 PROFIBUSDP basic model of the state machine 13

Figure 9 PROFIBUSDP P-Device-specific logic model (multi-axis drive) 13

Figure 10 PROFIBUS tank to PROFIdriveDO mapping 14

Application Example 18 Figure 11 DXB communication

Figure 12 has DXB isomorphic relationship between P-Device internal data stream 21

Figure 13 DXB subscriber table structure (in the Prm-Block) 22

14 with PROFIBUS cycle timing diagram of the data exchange between station 23

Figure 15 PROFIBUS isomorphic P-Device parameters of PAP and access mechanisms 25

Figure 16 PROFIBUS isomer P-Device parameters of PAP and access mechanisms 26

17 or by MS1AR MS2AR packet sequence diagram 27 18 drive unit configuration 33

Figure 19 PROFIBUSDP modular drive unit type and configuration of the communication channel 35

Figure 20 PROFIBUSDP DU parameter P978 (list of all DO-ID's) meaning 35

P978 example in Figure 21 PROFIBUSDP complex modular drive unit 36 Order DP cycle 36 Figure 22 isochronous 23 time setting 37

Figure 24 Example. The easiest DP cycle 39

Preview: page 4 of 5 shown, 47 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/gb-t-25740-2-2013

Chinastandards.org

25 Optimized DP cycle 40

Figure 26 Example. Optimized DP cycle (TMAPC = 2 x TDP) 41

27 start (in chronological order) 42

28 Stage 1. Slave parameterization, configuration 43

29 Stage 2. Use the global control clock PLL synchronization 44

FIG Stage 303. slave synchronization with the master station application Sign-Of-Life 45

Phase 31 and Phase 2 startup process state 3 of FIG. 46

32 Stage 4. The master-slave synchronization applied to station Sign-Of-Life 47

Figure 33 Example. from start to cyclic operation (phase 1) (TMAPC/T DP = 2/1) 48

Figure 34 Example. from start to cyclic operation (phase 2) (TMAPC/T DP = 2/1) 48

Figure 35 Example. from start to cyclic operation (phase 3) (TMAPC/T DP = 2/1) 49

Figure 36 Example. from start to cyclic operation (phase 4) (TMAPC/T DP = 2/1) 50

Figure 37 Example. from start to cyclic operation (phase 5) (TMAPC/T DP = 2/1) 51

38 from the PLL clock to save the station for 54 39 run-time compensation 55

Figure 40 DP cycle time violation 56

Figure 41 Example. clock failure (occurs after 4 DP cycle fault) 57

Figure 42 PROFIdrive drive system PROFINETIO device 60

Figure 43 PROFIdrive devices and their relationship in the 61's PROFINETIO

PROFIdrive universal communication model 62 Figure 44 PROFINETIO on FIG. 45 is used to synchronize the communication PROFIdrive PROFINETIO on 63 P-Device communication model Figure 46 PROFINETIO on 63

Figure 47 IOAR content and monitoring equipment AR 64

48 for MCR between P-Device cyclic data exchange 65 49 basic model state machines on the map 66 PROFINETIO

Figure 50 PROFINETIO specific logic P-Device Model (multi-axis drive) 67

FIG. 51 is represented by PROFINETIO submodule (CO) PROFIdriveDO 67

Figure 52 PROFINETIO P-Device hierarchical model 68

Preview: page 5 of 5 shown, 47 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/gb-t-25740-2-2013