

CCS L 77



**NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

GB/T 36450.6-2021

Information technology - Storage management - Part 6: Fabric

Issued on: October 11, 2021

Implemented on: May 1, 2022

**Issued by: State Administration for Market Regulation, China National
Standardization Administration**

Table of Contents

1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Typographical Convention	1
4.1 Maturity model	1
4.2 Experimental maturity level	2
4.3 Achieved maturity level	2
4.4 Stable maturity level	3
4.5 Completed maturity level	3
4.6 Discarded materials	3
5 Switch fabric configuration file	4
5.1 Description	4
5.2 Health and fault management	9
5.3 Precautions for cascading	9
5.4 Supported sub-configuration files and packages	9
5.5 Configuration file method	9
5.6 Client Notes and Methods	9
5.7 Registered name and version	14
5.8 CIM Elements	14
6 Enhanced zone and enhanced zone control sub-profile	53
6.1 Description	53
6.2 Health and fault management	53
6.3 Precautions for cascading	53
6.4 Dependencies of configuration files, sub-configuration files and packages	54
6.5 Configuration file method	54
6.6 Client Precautions and Methods	54
6.7 Registered name and version	57
6.8 CIM Elements	57
7 Zone control sub-configuration file	60
7.1 Description	60
7.2 The persistent name of the configuration file and its associated ID	60
7.3 Equipment requirements	60

7.4 Health and fault management	60
7.5 Precautions for cascading	61
7.6 Dependencies of configuration files, sub-configuration files, and packages	61
7.7 Configuration file method	61
7.8 Client Precautions and Methods	65
7.9 Registered name and version	76
7.10 CIM elements	76
8 Structure equipment management interface sub-configuration file	78
8.1 Description	78
8.2 Health and fault management considerations	79
8.3 Precautions for cascading	79
8.4 Dependencies of configuration files, sub-configuration files and packages	79
8.5 Configuration File Method	79
8.6 Client Notes and Methods	79
8.7 Registered name and version	79
8.8 CIM Elements	79
9 Structure path performance sub-profile	88
9.1 Description	88
9.2 Health and fault management considerations	89
9.3 Dependencies of configuration files, sub-configuration files and packages	89
9.4 Configuration file method	89
9.5 Client Notes and Methods	89
9.6 Registered name and version	89
9.7 CIM Elements	90
10 Fibre Channel Security Sub-Profile	94
10.1 Description	94
10.2 Health and fault management considerations	95
10.3 Precautions for cascading	96
10.4 Supported configuration files, sub-configuration files and packages	96
10.5 Configuration file method	96
10.6 Client Notes and Methods	96
10.7 Registered name and version	96
10.8 CIM elements	96
11 Exchange structure view sub-configuration file	100
11.1 Description	100

11.2 Health and fault management considerations	102
11.3 Precautions for cascading	102
11.4 Supported configuration files, sub-configuration files and packages	102
11.5 Configuration file method	103
11.6 Client Notes and Methods	103
11.7 Registered name and version	103
11.8 CIM Elements	103
12 Virtual Switching Structure Sub-Configuration File	108
12.1 Description	108
12.2 Health and fault management considerations	109
12.3 Precautions for cascading	110
12.4 Supported configuration files, sub-configuration files and packages	110
12.5 Configuration file method	110
12.6 Client Notes and Methods	110
12.7 Registered name and version	110
12.8 CIM Elements	110
13 Switch configuration file	111
13.1 Description	111
13.2 Health and fault management considerations	116
13.3 Precautions for cascading	116
13.4 Dependencies of configuration files, sub-configuration files, and packages	116
13.5 Configuration file method	117
13.6 Client Notes and Methods	117
13.7 Registered name and version	133
13.8 CIM Elements	133
14 Exchange configuration data sub-configuration file	156
14.1 Description	156
14.2 Persistent Names and Related IDs of Configuration Files	157
14.3 Equipment requirements	157
14.4 Health and fault management considerations	157
14.5 Precautions for cascading	157
14.6 Configuration File Method---Apply Configuration Information (ApplyConfiguration)	157
14.7 Client Notes and Methods	157
14.8 Registered name and version	158

14.9 CIM Elements	158
15 Blade sub-profile	160
15.1 Description	160
15.2 Health and fault management considerations	161
15.3 Precautions for cascading	161
15.4 Dependencies of configuration files, sub-configuration files, and packages	161
15.5 Configuration File Method	162
15.6 Client Notes and Methods	162
15.7 Registered name and version	162
15.8 CIM Elements	162
16 Switch partition sub-configuration file	170
16.1 Description	170
16.2 Health and fault management considerations	172
16.3 Precautions for cascading	172
16.4 Supported configuration files, sub-configuration files and packages	172
16.5 Configuration File Method	173
16.6 Client Notes and Methods	173
16.7 Registered name and version	173
16.8 CIM Elements	173
17 Extender Configuration File	179
17.1 Description	179
17.2 Health and fault management considerations	182
17.3 Precautions for cascading	182
17.4 Supported sub-configuration files and packages	182
17.5 Configuration File Method	183
17.6 Client Notes and Methods	183
17.7 Registered name and version	193
17.8 CIM Elements	193
18 Router Configuration File	223
19 SAS Expander Configuration File	224
19.1 Description	224
19.2 Health and fault management considerations	224
19.3 Precautions for cascading	224
19.4 Supported configuration files, sub-configuration files and packages	224
19.5 Configuration File Method	225