

ICS 59.120.99

CCS W 99



**NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

GB/T 39028-2020

**Textile machinery and accessories--Web roller cards--Terms
and definitions**

Issued on: July 21, 2020

Implemented on: February 1, 2021

**Issued by: State Administration for Market Regulation, China National
Standardization Administration**

Table of Contents

Foreword

1 Scope

2 Terms and definitions

2.1 Basic terminology

Foreword

This standard was drafted in accordance with the rules given in GB/T 1.1-2009.

This standard uses the translation method equivalent to the ISO 18600.2015 "Textile Machinery and Accessories Roller Carding Machine Terminology and Definition

Righteousness.

This standard has made the following editorial changes.

---The index has been added.

This standard was proposed by the China National Textile and Apparel Council.

This standard is under the jurisdiction of the National Textile Machinery and Accessories Standardization Technical Committee (SAC/TC215).

Drafting organizations of this standard. Hengtian Heavy Industry Co., Ltd., Jiangsu Yingyang Nonwoven Machinery Co., Ltd., Changshu Feilong Nonwoven Machinery Co., Ltd.

Company, Changshu Weicheng Nonwoven Fabrication Equipment Co., Ltd., Zibo Langda Composite Material Co., Ltd., Henan Yuhua Electronics Co., Ltd., Qing

Daodefeng Machinery Manufacturing Co., Ltd., Hangzhou Xiaoshan Hangmin Nonwovens Co., Ltd., Zhongyuan Institute of Technology, China Textile Machinery Association.

1 Scope

This standard defines the terminology of nonwoven carding machines used for carding short fibers into a web.

2 Terms and definitions

The following terms and definitions apply to this document.

2.1 Basic terminology

2.1.1

Roller carding machine webrolercard

Equipped with more than two work rolls, equipment for combing short fiber raw materials to form a loose web.

2.1.2

Workflowdirection

The fiber conveying direction (material conveying direction) during the whole work process.

2.1.3

Entryside

The side of the machine where the fiber is fed.

2.1.4

Deliveryside

The side of the fiber output on the machine.

2.1.5

Rightside

The observer faces the right-hand side of the web conveying direction.

2.1.6

Leftside

The observer faces the left-hand side of the web conveying direction.