

ICS 43.040.50



**NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

GB/T 4095-2025

**Mounting dimensions of disc wheels on hubs for commercial
vehicles**

商用汽车辐板式车轮在轮毂上的安装尺寸

(English Translation)

Issued on: August 29, 2025

Implemented on: March 1, 2026

Issued by: State Administration for Market Regulation

Table of Contents

Foreword...	3
1 Scope...	5
2 Normative references...	5
3 Terms and definitions...	5
4 Flat mounting method with center-hole centering...	5

Foreword

This document was drafted in accordance with the rules given in GB/T 1.1-2020, Directives for standardization - Part 1.Rules for the structure and drafting of standardizing documents.

This document replaces GB/T 4095-2005, Disc wheels for trucks - Dimensional characteristics of attachment on hub. Compared with GB/T 4095-2005, in addition to structural adjustments and editorial modifications, the main technical changes are as follows.

- a) Change the requirements for dimensions of wheel and hub (see Figure 1; Figure 1 of the 2005 edition);
- b) Change the requirements for dimensions (see Table 1; Table 1 of the 2005 edition).

This document is identical to ISO 4107.2023, Commercial vehicles - Wheel-hub attachment dimensions.

This document adds two chapters, namely "Normative references" and "Terms and definitions".

This document makes the following minimal editorial changes.

- To align with existing standards, change the standard name to "Mounting dimensions of disc wheels on hubs for commercial vehicles";
- Add footnote "d" to Table 1.

1 Scope

This document specifies the mounting dimensions required for mounting wheels with 6, 8 or 10 bolt holes on hubs for commercial vehicles.

This document applies to wheels using the flat mounting method with center-hole centering.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

No terms and definitions need to be defined in this document.

4 Flat mounting method with center-hole centering

The dimensions of the wheel and hub shall conform to the specifications in Figure 1 and Table 1.

.....