

ICS 79.080; 01.040.79
CCS B 68



**NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

GB/T 43649-2024

Wood flooring and parquet - Vocabulary

木地板和拼花地板 术语

(English Translation)

Issued on: March 15, 2024

Implemented on: October 1, 2024

**Issued by: State Administration for Market Regulation, China National
Standardization Administration**

Table of Contents

Foreword
1 Scope
2 Normative references
3 Terms and definitions

Foreword

This document is in accordance with the provisions of GB/T 1.1-2020 "Guidelines for standardization work Part 1: Structure and drafting rules for standardization documents" Drafting.

This document is modified to adopt ISO 5323:2019 "Terminology for wooden and parquet floors".

The technical differences between this document and ISO 5323:2019 and their reasons are as follows.

--- Added terms and definitions for the installation of tongue and groove upper edge and tongue and groove lower edge, removable floor, wooden floor and parquet floor (see 3.16, 3.17, 3.38, 3.49~3.54), which is an indispensable and frequently used term in the domestic wood flooring industry.

It is widely used in research and development, production, sales, teaching and other fields;

--- The definition of standing floor boards has been changed (see 3.27, 3.26 of ISO 5323:2019). Domestic standing floor boards are not limited to straight four-dimensional boards. Prism;

--- Deleted the terms and definitions of non-wood lignified materials (see 3.2 of ISO 5323:2019), which are not included in the terminology of this document. within the enclosure;

--- The terminology and definition of tongue and groove lip (see 3.15 of ISO 5323:2019) have been deleted. It has a more refined classification in China (tongue and groove upper edge, mortise and tenon lower edge);

--- Deleted the terms and definitions of wooden floor coverings (see 3.27 of ISO 5323:2019), which are not within the scope of this document;

--- The terms and definitions of square parts (see 3.37 of ISO 5323:2019) have been deleted. Their meanings are the same as those of ISO 5323:2019.

1 Scope

This document defines the terms and definitions of wooden flooring and parquet flooring.

This document applies to the research and development, production, testing, sales, teaching, etc. of wooden flooring and parquet flooring products.

2 Normative references

This document has no normative references.

3.1 Wood

It comes from the secondary xylem of trees and is mainly composed of cellulose, hemicellulose and lignin. [Source: LY/T 1788-2023, 3.1.1]

3.2 Solid wood

Wood (3.1) which has been processed but not reconstituted in any way.

Note: Processing refers to sawing, planing or other processing. When wood is pulped, chipped (shavings), fiberized and other materials (such as adhesives) are added, it is considered Reorganization.

3.3 Parquet floor slab

Unpainted solid wood (3.2) blocks and composite assembly blocks of solid wood veneer, which have flat upper and lower parallel surfaces after sawing and have There are the dimensions required to manufacture parquet floor components (3.11). See Figure 1.

3.4 Solid wood flooring block

woodflooringboard The surfaces are parallel to each other, the length direction is usually along the direction of the wood grain, with regular thickness and fixed contours and can be combined with other similar parts Solid wood (3.2) parts (3.11) installed.

3.5 Front face

The upper surface of the solid wood floor block (3.4) is the side visible after installation.