

ICS 75.180.10

CCS E 92



**NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

GB/T 43673-2024

Non-metallic composite coiled tubing with embedded cable

非金属敷缆复合连续油管

Issued on: March 15, 2024

Implemented on: July 1, 2024

**Issued by: State Administration for Market Regulation;
Standardization Administration of the PRC**

Table of Contents

Preface	III
1 Scope	1
2 Normative references	1
3 Terms, definitions and abbreviations	2
3.1 Terms and Definitions	2
3.2 Abbreviations	4
4 Product Description	4
4.1 Tube structure	4
4.2 Connector device	5
4.3 Product Code	5
5 Materials	6
5.1 Lining layer	6
5.2 Reinforcement layer and tensile layer	6
5.3 Outer sheath	7
5.4 Connectors	7
5.5 Power cables, signal cables and auxiliary heating cables	7
5.6 Optical Fiber	7
6 Technical Requirements	7
6.1 General	7
6.2 NPR	7
6.3 TLR	7
6.4 WTR	7
6.5 MOP	8
6.6 Length	8
6.7 Appearance Quality	8
6.8 Dimensions, NPR, TLR and MBR	8
6.9 Physical and chemical properties	9
6.10 Electrical properties	10
6.11 Heating performance	10
6.12 Full roll pressure test	10
7 Test methods	10
7.1 Sample state adjustment	10

7.2 Appearance Quality	11
7.3 Specifications and dimensions	11
7.4 Compression cracking stability	11
7.5 Short-term hydrostatic strength	11
7.6 Short-term burst pressure	11
7.7 Tensile properties	11
7.8 Collapse strength	11
7.9 Axial elongation at NPR	11
7.10 MBR	11
7.11 1000h survival test	11
7.12 Rapid pressure relief	12
7.13 Short-term cycle pressure	12
7.14 Conductor resistance	12
7.15 Insulation resistance	12
7.16 Withstand voltage	12
7.17 Heating	12
7.18 Full roll pressure test	12
8 Inspection Rules	12
8.1 Inspection categories	12
8.2 Factory Inspection	12
8.3 Type test	13
9 Marking, packaging, transportation and storage	14
9.1 Sign	14
9.2 Packaging	14
9.3 Transportation	14
9.4 Storage	14
10 Installation	15
Appendix A (Informative) Chemical resistance	15
Appendix B (Informative) Test method for gas permeability of polymer materials	18
Appendix C (Normative) Collapse Strength Test Method	20
Appendix D (Informative) Test method for axial elongation under pressure	22
Appendix E (Informative) Cable Pipe Installation Notes	24
Reference	28

Foreword

This document is in accordance with the provisions of GB/T 1.1-2020 "Guidelines for standardization work Part 1: Structure and drafting rules for standardization documents" Drafting.

Please note that some of the contents of this document may involve patents. The issuing organization of this document does not assume the responsibility for identifying patents.

This document is under the jurisdiction of the National Technical Committee on Petroleum and Natural Gas Standardization (SAC/TC355).

This document was drafted by: China National Petroleum Corporation Engineering Materials Research Institute Co., Ltd., Shanghai Feizhou Boyuan Petroleum Equipment Co., Ltd., Weihai Hongtong Pipe Co., Ltd., Cangzhou Mingzhu Plastic Co., Ltd., China National Petroleum Corporation Changqing Oilfield Branch Company, China National Petroleum Corporation Exploration and Development Research Institute, Hebei Yutong Special Hose Co., Ltd., Shaanxi Aerospace Delin Technology Group GROUP LIMITED.

The main drafters of this document are: Li Houbu, Ding Nan, Li Minli, Lian Hongzheng, Yang Feng, Gan Qingming, Ming Eryang, Zhang Peng, Feng Guojing, Yu Zhimeng, Yang Haitao, Wu Pan, Li Xingwei, Fang Wei, Wei Bin, Ji Zhenning, Li Zhaoyong, Lin Benchang.

Non-metallic cable-laid composite coiled tubing

1 Scope

This document specifies the product description, materials, technical requirements, test methods, and Methods, inspection rules, marking, packaging, transportation, storage and installation.

This document is applicable to cable pipes used for artificial lifting or water injection in vertical wells, directional wells, horizontal wells and other underground wells.

2 Normative references

GB/T 2828.1

GB/T 2918

GB/T 3048.4

GB/T 3048.5

GB/T 3048.8

GB/T 3956

GB/T 6111

GB/T 8162

GB/T 8237

GB/T 8806

GB/T 9771.1

GB/T 12357.1

GB/T 13657

GB/T 14976

GB/T 15560

GB/T 18252

GB/T 18369

GB/T 18475

GB/T 18992.2

GB/T 26752

GB/T 34903.1