

ICS 33.060
CCS R 28



**NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

GB/T 46415-2025

**Performance and test requirements for automatic identification
system class A shipborne equipment**

船舶自动识别系统（AIS）A类设备性能和测试要求
(English Translation)

Issued on: October 5, 2025

Implemented on: May 1, 2026

Issued by: State Administration for Market Regulation

Table of Contents

Preface
1 Scope
2 Normative References
3 Terms and Definitions, Abbreviations
3.1 Terms and Definitions
3.2 Abbreviations
4 Basic Requirements 5.
4.1 Equipment Purpose, Transmitter, and Quality Requirements
4.2 Working Mode
4.3 Instruction Manual
4.4 Equipment Identification
5 Other requirements
5.1 Environmental, power supply, special purpose, and safety requirements
5.2 Information Display
5.3 Software Update
6 Performance Requirements
6.1 Composition and Capabilities
6.2 Time and Location
6.3 User Interface
6.4 Identification Code
6.5 Information
6.6 Event Log
6.7 Initialization Phase
6.8 Power Supply
6.9 Technical Characteristics
6.10 Alarms, Instructions, and Rollbacks
6.11 Display, Input, and Output
6.12 Preventing Ineffective Controls
7 Technical Requirements
7.1 General Requirements
7.2 Physical Layer
7.3 Link Layer

- 7.4 Network Layer
- 7.5 Transport Layer
- 7.6 Indicates interface
- 8 Remote Applications
 - 8.1 General Requirements
 - 8.2 Two-way interface remote application
 - 8.3 Broadcast Remote Applications
- 9 Test Conditions
 - 9.1 Normal and Extreme Test Conditions
 - 9.2 Standard Test Environment
 - 9.3 Additional Test
 - 9.4 General Test Conditions for Preventing Ineffective Controls
 - 9.5 Measurement uncertainty
- 10 Test signal
 - 10.1 Standard Test Signal 1 (DSC)
 - 10.2 Standard Test Signal 2 (TDMA)
 - 10.3 Standard Test Signal 3 (TDMA)
 - 10.4 Standard Test Signal 4 (PRBS)
 - 10.5 Standard Test Signal 5 (PRBS)
- 11 Power supply, special purpose and safety testing
- 12 Environmental Testing
- 13 Electromagnetic compatibility test
- 14 Run Test
 - 14.1 Identification and Operating Modes
 - 14.2 Manuals, Labeling and Identification
 - 14.3 Information
 - 14.4 Event Log
 - 14.5 Software Upgrade
 - 14.6 Initialize
 - 14.7 Technical Characteristics
 - 14.8 Alarms and Instructions, Rollback
 - 14.9 Display, Input, and Output
- 15 Physical layer test
 - 15.1 TDMA transmitter
 - 15.2 TDMA Receiver

- 15.3 Conducted stray radiation
- 16 Link Layer Testing
 - 16.1 TDMA Synchronization
 - 16.2 Time Division (Frame Format)
 - 16.3 Synchronization and jitter accuracy
 - 16.4 Data Encoding (Bit Stuffing)
 - 16.5 Frame Check Sequence
 - 16.6 Time Slot Allocation (Channel Access Protocol)
 - 16.7 Message Format
- 17 Network Layer Test
 - 17.1 Dual-channel operation - alternating transmission
 - 17.2 VDL Message Region Assignment
 - 17.3 Area Assignment for Continuous Messages
 - 17.4 Area Assignment for Lost Locations
 - 17.5 Power setting
 - 17.6 Message Priority Handling
 - 17.7 Time Slot Multiplexing and FATDMA Reserved
 - 17.8 Receiving Area Operation Settings Management
 - 17.9 Continuous use of autonomous mode reporting intervals
- 18 Transport Layer Test
 - 18.1 Addressing Message
 - 18.2 Inquiry Response
- 19 Indicates that the interface test is 90.
 - 19.1 General Requirements
 - 19.2 Manufacturer Documentation Check 90%
 - 19.3 Electrical Testing
 - 19.4 Sensor Input Interface Performance Test
 - 19.5 Sensor Input Test
 - 19.6 High-speed port output test
 - 19.7 High-speed output performance test
 - 19.8 Undefined VDL message output
 - 19.9 High-speed input test
- 20 Remote Functionality Test
 - 20.1 Bidirectional Interface Remote Application
 - 20.2 Remote Broadcasting Applications

- Appendix A (Informative) Technical Differences Compared with IEC 61993-2:2018 and Their Reasons
- Appendix B (Normative) Digital Selective Calling Function
 - B.1 DSC compatibility
 - B.2 DSC Receiver Test
 - B.3 DSC Functionality Test
- Appendix C (Normative) Functional Modules of AISA-type Devices
- Appendix D (Normative) Extended Dimension Values for Tug Rollers
 - D.1 General requirement
 - D.2 Method
- Appendix E (Informative) ALR/ACK Alarm Handling
- Appendix F (Normative) Calculation of Area and Distance
 - F.1 Area Calculation
 - F.2 General Distance Calculation
- Appendix G (Normative) Chinese Communication Rules and Encoding Requirements
 - G.1 14-bit Chinese character encoding rule
 - G.2 Methods for converting between transmit/receive codes and internal codes
 - G.3 13-bit Chinese character encoding rule
- Appendix H (Normative) Overview of AISA Class Device Interfaces
- Appendix I (Informative) Conversion between IEC 61162-1 Statements and IEC 61162-3 Parameter Group Numbers
- Appendix J (Normative) New Interface Statement --- Sender Signature Verification (SSA)
- Appendix K (Normative) Updated Interface Statements --- AIS Navigation Static Data (VSD)
- References

Foreword

This document complies with the provisions of GB/T 1.1-2020 "Standardization Work Guidelines Part 1: Structure and Drafting Rules of Standardization Documents".

Drafting.

This document is modified to adopt IEC 61993-2:2018 "Automatic Identification Systems for Marine Navigation and Radio Communication Equipment and Systems".

(AIS) Part 2: Common Automatic Identification System (AIS) Category A Shipboard Equipment Operation and Performance Requirements, Test Methods and Test Requirements result".