

ICS 77.120.30
CCS H 13



**NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

GB/T 5121.9-2008

Replacing GB/T 5121.9-1996; GB/T 13293.7-1991

**Methods for chemical analysis of copper and copper alloys --
Part 9: Determination of iron content**

铜及铜合金化学分析方法 第9部分：铁含量的测定

(English Translation)

Issued on: June 17, 2008

Implemented on: December 1, 2008

Issued by: Standardization Administration of China

Table of Contents

What this standard covers	1
Document data	2

What this standard covers

This standard specifies the method for determination of copper and copper alloys of iron content. This method is suitable for the determination of copper and copper alloy iron content. Measurement range: 0. 0001% to 0. 0020%. Method two 1, 10-phenanthroline spectrophotometric method for the determination of the method specified copper and copper alloys of iron content. This method is suitable for the determination of copper and copper alloy iron content. Measurement range 0. 0015% to 0. 50%. Method three dichromate method This method provides for the determination of copper and copper alloys of iron content. This method is suitable for the determination of copper and copper alloy iron content. Measuring range: > 0. 50% ~ 7. 00%.

Document data

International classification (ICS): 77.120.30.

Chinese classification (CCS): H13.

Estimated length of the Chinese original: 16,141 words.

Adopted international standard: ISO 4748-1984, MOD; ISO 1812-1976, MOD.

Supersedes the earlier edition GB/T 5121.9-1996; GB/T 13293.7-1991.