

ICS 03.220.20

CCS P 51



**NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

GB/T 5845.4-2008

Replacing GB/T 5845.9-1986

**Urban public transport sign -- Part 4: Graphic symbols for
transport means, stop and circulation line**

城市公共交通标志 第4部分：运营工具、站（码头）和线路图形符号

(English Translation)

Issued on: December 23, 2008

Implemented on: June 1, 2009

Issued by: Standardization Administration of China

Table of Contents

Introduction
1 Scope
2 Normative references
3 Terms and definitions
4 1 graphic symbols
5 1 Applications
Index

Foreword

GB/T 5845 "urban public traffic signs" is divided into the following sections.

- Part 1. General mark and category labels;
- Part 2. General safety signs and graphic symbols;
- Part 3. Bus and tram stop signs and road signs;
- Part 4. operational tool station (pier) and line graphic symbols;

This section GB/T 45845 Part of.

This Part replaces GB/T 5845.9-1986 "urban public traffic signs line running graphic symbol", and GB/T 5845.9-the main difference is 1986.

--- 15 additional symbols. bus rapid transit systems, bus rapid transit system originating station terminal, light rail systems, light-rail system began Hair station terminal, monorail systems, monorail systems originating station terminal, the maglev system, magnetic system originating station terminal, city passenger (Car) ferry departure station terminal, passenger ropeway, passenger cableway departure station terminal, passenger escalators, passenger lifts, passenger lifts run Line, passenger tramway line running;

--- Modify 12 Symbol. bus (regular bus), bus terminal originating station (the end of the regular bus departure station Station), subway, station originating terminal, passenger lifts (passenger ropeway), passenger lifts originating station terminus (passenger cableway departure station Terminal), taxi, taxi station, ferry [urban passenger (car) ferry], with stops (stop), city waterways running lines, wheel Ferry routes [urban passenger (car) ferry] running routes;

--- Deleting seven symbols. quick tram, fast tram originating station terminal, elevated tram, elevated tram originating station end Stations, fast tram line running, subway lines, tram line

running;

--- There are 27 original standard symbols. The standard total of 35 symbols.

This part is proposed by the Ministry of Housing and Urban-Rural Development of the People's Republic of China.

This part of the jurisdiction of the Ministry of Housing and Urban Urban Construction Institute of Standards and Technology focal point of urban construction.

This section is drafted. Tianjin Normal University, Institute of Urban Construction, on Haiao Li Optoelectronics Technology Co., Ltd.

1 Scope

GB/T 5845 provisions of this part of the urban public transport signs of operational tools, the station (pier) and line graphic symbols (hereinafter referred to as Graphical symbols).

This section applies to public places information bar, flat map and traffic guide traffic map, tourist map, city maps and other information carriers.

2 Normative references

The following documents contain provisions cited by GB/T 5845 to the present, constitute provisions of this section. For dated reference documents Member, all subsequent amendments (not including errata content) or revisions do not apply to this section, however, encouraged to reach under this section Parties to research agreement to use the latest versions of these documents. For undated reference documents, the latest versions apply to this section.

GB/T 10001 (all parts) flag Public information graphical symbols GB/T 10001.1-2006 flag Public information graphical symbols - Part 1. Common symbols (ISO 7001:1990, NEQ)
GB/T 10001.3-2004 flag Public information graphical symbols - Part 3. Passenger and freight GB/T 15565.1 Graphical symbols - Terminology - Part 1. General GB/T 20501 principles and requirements of public information guide system elements

3 Terms and Definitions

Terms and definitions GB/T 15565 apply to established GB/T 5845 of this section.

4 Graphical symbols

Operational tools, station (pier) and the line graphic symbols shown in Table 1.

5 Applications

5.1

applications, when you need to use other graphic symbols, should be GB/T 5845 in other parts, GB/T 10001 (all parts) or Select the relevant standards.

Color 5.2 graphical symbol shall comply with GB/T 20501 requirements.

Part of the square edges instead of the graphical symbol 5.3 Graphical symbol column in Table 1, only on the basis of the production of graphic signs. Applications, Graphic symbols with square edges shall be used by the graphic symbol of the symbol formation. In this section using graphical symbols for design-oriented elements when shall comply with GB/T 20501 requirements.

The meaning of section 5.4 of graphic symbols only broad concept of the graphic symbol. The application can be given in accordance with the specific object to be expressed should name, such as. graphic meaning "conventional bus" symbol can be given "mini-bus", "medium-sized bus", "large-scale public steam Car ", " large buses "and" double-decker bus "and other specific names.