Chinastandards.org

ICS 31.080.30
CCS L42

NATIONAL STANDARD OF THE

PEOPLE'S REPUBLIC OF CHINA

GB/T 6217-1998

Discrete semiconductor devices - Blank detail specification for low power bipolar transistors

半导体器件 分立器件 第7部分:双极型晶体管 第一篇 高低频放大环境额定的双极型晶体管空白详细规范

(English Translation)

Issued on: March 31, 2026 **Implemented on: October 1, 2026**

Issued by: State Administration for Market Regulation, China National Standardization Administration

Preview: page 1 of 4 shown, 23 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/gb-t-6217-1998

Chinastandards.org

Table of Contents

[Preview only]
1 Scope
1.2 Purpose
1.3 Related documents
1.4 Information to be given in a detail specification
1.5 Details to be specified
2 Normative references
2.1 Environmental conditions
2.2 Test equipment
2.3 Gas discharge
2.4 Electron-beam/focus and deflection Note
2.5 8 valve noise
2.6 Voltage, current, and power
2.7 Voltage, current and power than the general performance and parameters
2.8 Characteristics and working conditions
3 Terms and definitions
3.1 Photocathode sensitivity
3.2 Equivalent background illuminance
3.3 Luminance gain or radiation gain
3.4 Reverse working voltage
3.5 Uniformity of output luminance
3.6 Limit working voltage
3.7 Input current
3.8 Modulation transfer function
4 Test and measurement procedures
4.1 Overview
5.1 Interface plug-in box size
5.2 Test Principle
5.3 Test System
5.4 Test Preparation
5.5 Test Procedure 3
6 Puller handle for plug-in interface Size

Preview: page 2 of 4 shown, 23 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/gb-t-6217-1998

6.1 Plug-in interface Size
6.2 Handle locking function
7 Interface dimensions for subracks and plug-in electromagnetic shielding structure
7.1 For an electromagnetic shield structure into me connection size
7.2 Panel (plugin) interface Size
7.4 Test Procedure 5
8 Subracks and plug-in encoding key system
8.1 General
9 PCB Mounting B-type plug handle plug connection size

1 Foreword

GB/T 6217-1998 was issued by State Administration for Market Regulation, China National Standardization Administration on 31 March 2026 and has been in force since 1 October 2026.

It replaces the earlier edition GB/T 6217-1986.

The GB/T prefix marks a recommended standard. It is not law in itself: it becomes binding when a contract names it, when a regulation or a mandatory standard refers to it, or when a producer declares conformity with it.

2 Scope Preview

GB/T 6217-1998 falls under ICS 31.080.30, in the field of electronics.

This catalogue holds 1,274 other GB/T standards in that field.

In this catalogue, GB/T standards carry edition years from 1963 to 2026.

3 About this standard

Sector: National Standard (Recommended)

Issued by: State Administration for Market Regulation, China National Standardization Administration

English translation: about 23 pages (approximate)

Chinese original: about 34,337 characters

Preview: page 3 of 4 shown, 23 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/gb-t-6217-1998

Chinastandards.org

4 Related standards

Other editions:

GB/T 6217-2026 (later edition)

GB/T 6217-1986 (earlier edition)

Standards on related subjects:

SJ/T 11141-2017 - Generic specification for LED displays

GB/T 18910.2-2003 - Liquid crystal and solid-state display devices -- Part 2: Liquid crystal display modules sectional specification

GB/T 29332-2012 - Semiconductor devices -- Discrete devices -- Part 9: Insulated-gate bipolar transistors (IGBT)

5 Classification and status

International classification (ICS): 31.080.30

Chinese Standard Classification (CCS): L 42

Prefix GB/T: recommended standard.

Preview: page 4 of 4 shown, 23 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/gb-t-6217-1998