

ICS 59.080.01
CCS W 04



**NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

GB/T 7568.8-2014

**Textiles -- Tests for colour fastness -- Standard adjacent fabric
-- Part 8: Secondary acetate
(English Translation)**

Issued on: September 3, 2014

Implemented on: March 1, 2015

**Issued by: General Administration of Quality Supervision, Inspection and
Quarantine**

Table of Contents

Foreword...	3
1 Scope...	5
2 Normative References...	5
3 Materials...	6
4 Basic Requirements of Secondary Acetate Adjacent Fabric...	6

Foreword

GB/T 7568 Textiles - Tests for Color Fastness - Standard Adjacent Fabric is divided into eight parts:

- Part 1: Wool;
- Part 2: Cotton and Viscose;
- Part 3: Polyamide Fiber;
- Part 4: Polyester Fiber;
- Part 5: Polyacrylonitrile Fiber;
- Part 6: Silk Fiber;
- Part 7: Multifiber;
- Part 8: Secondary Acetate.

This is Part 8 of GB/T 7568.

This Part was drafted in accordance with the rules in GB/T 1.1-2009.

The modification of this Part adopts ISO 105-F07: 2001 Textiles - Tests for Color Fastness - Part F07: Specification for Secondary Acetate Adjacent Fabric (English version). In comparison with ISO 105-F07: 2001, the main differences are as follows:

---The title of the standard is modified into "Textiles - Tests for Color Fastness - Standard Adjacent Fabric - Part 8: Secondary Acetate";

---International standards in the normative references are replaced by corresponding Chinese standards; GB/T 3921-2008 and FZ/T 01024 are added; ISO 105-C02: 1989 is deleted;

---The stipulations of raw materials, yarns and fabric structures of secondary acetate adjacent fabrics are added to Appendix A.

This Part was proposed by China National Textile and Apparel Council.

This Part shall be under the jurisdiction of National Technical Committee 209 on Textiles of Standardization Administration of China, Basic Standard Subcommittee (SAC/TC 209/SC 1).

The drafting organizations of this Part: Shanghai Textile Industry Institute of Technical Supervision; National Cotton Printing and Dyeing Product Quality Supervision and Inspection Center.

Textiles - Tests for Color Fastness -

Standard Adjacent Fabric - Part 8: Secondary Acetate

1 Scope

This Part of GB/T 7568 stipulates the basic requirements and assessment requirements of unstained secondary acetate standard adjacent fabrics, which are used in the assessment of staining properties in the tests for color fastness of textiles.

This Part is applicable to unstained secondary acetate adjacent fabrics, which are used in the assessment of staining properties in the tests for color fastness.

NOTE: the staining properties of secondary acetate adjacent fabrics to be tested may be compared and determined together with secondary acetate reference adjacent fabrics through secondary acetate stained reference adjacent fabrics.

2 Normative References

The following documents are indispensable to the application of this document. In terms of references with a specified date, only versions with a specified date are applicable to this document. In terms of references without a specified date, the latest version (including all the modifications) is applicable to this document.

GB 250 Textiles - Tests for Color Fastness - Grey Scale for Assessing Change in Color (GB/T 250-2008, ISO 105-A02: 1993, IDT);

GB/T 3921-2008 Textiles - Tests for Color Fastness - Color Fastness to Washing with

Soap or Soap and Soda (ISO 105-C10: 2006, MOD);

GB/T 4669 Textiles - Woven Fabrics - Determination of Mass Per Unit Length and
Mass Per Unit Area (GB/T 4669-2008, ISO 3801: 1977, MOD);

GB/T 7573 Textiles - Determination of pH of Aqueous Extract (GB/T 7573-2009, ISO
3071: 2005, MOD);

GB/T 8424.1 Textiles - Tests for Color Fastness - General Principles for Measurement
of Surface Color (GB/T 8424.1-2001, eqv ISO 105-J01: 1997);

GB/T 8424.2 Textiles - Tests for Color Fastness - Instrumental Assessment of Relative
Whiteness (GB/T 8424.2-2001, eqv ISO 105-J02: 1997);

FZ/T 01024 Instrument Rating Method for Degree of Discoloration of Samples (FZ/T

.....