

ICS 27.020
CCS J 90



**NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

GB/T 8190.1-2023

Replacing GB/T 8190.1-2010, GB/T 8190.11-2009

**Reciprocating internal combustion engines - Exhaust emission
measurement - Part 1: Test-bed measurement systems of
gaseous and particulate emissions**

往复式内燃机 排放测量 第1部分：气体和颗粒排放物的试验台测量系统
(English Translation)

Issued on: May 23, 2023

Implemented on: December 1, 2023

Issued by: State Administration for Market Regulation

Table of Contents

Preface	
Introduction	
1 Scope	
2 Normative references	
3 Terms and Definitions	
4 Symbols and abbreviations	
4.1 General symbols	
4.2 Fuel composition symbol	
4.3 Chemical composition symbols and abbreviations	
4.4 Abbreviations	
5 General measurement principles	
5.1 Emission measurement principle	
5.1.1 Emission component mass	
5.2 Exhaust sampling and dilution	
5.2.1 General requirements for sampling	
5.2.2 Gas sampling	
5.2.3 Raw Exhaust Sampling for Gas Emissions	
5.2.4 Dilution sampling of gaseous emissions	
5.2.5 Dilution system	
5.2.6 Dilution sampling of particulate emissions	
5.3 Measuring instruments	
5.3.1 General	
5.3.2 Data recording and control	
5.3.3 Performance specifications for measuring instruments	
6 Engine and environment-related measuring equipment	
6.1 Dynamometer specification	
6.2 Speed and torque sensors	
6.2.1 Shaft work	
6.2.2 Speed sensor	
6.2.3 Torque sensor	
6.2.4 Engine accessories	
6.3 Pressure transducers, temperature and dew point sensors	

6.4 Flow related measurements

6.4.1 Fuel flow

6.4.2 Intake air flow

6.4.3 Original exhaust flow

6.4.4 Indirect exhaust flow

6.4.5 Dilution Air and Dilution Exhaust Flow Meters

6.4.6 Sample flow meter for batch sampling

6.4.7 Use of gas distributors

7 Determination of gas components

7.1 General Specifications

7.2 Gas drying

7.3 Analyzers

7.3.1 General

7.3.2 Carbon monoxide (CO) and carbon dioxide (CO₂) analysis

7.3.3 Oxygen (O₂) analysis

7.3.4 Hydrocarbon (HC) analysis

7.3.5 Non-methane hydrocarbons (NMHC) analysis

7.3.6 Nitrogen oxides (NO_x) analysis

7.3.7 Sulfur dioxide (SO₂) analysis

7.3.8 Ammonia (NH₃) analysis

7.3.9 Nitrous oxide (N₂O) analysis

7.3.10 Formaldehyde (HCHO) analysis

7.3.11 Methanol (CH₃OH) analysis

7.3.12 Air-fuel ratio measurement

7.4 Measuring system

7.4.1 General

7.4.2 Analysis system

7.4.3 Ammonia analysis

7.4.4 Methane analysis

7.4.5 Methanol analysis

7.4.6 Formaldehyde analysis

8 Determination of particulate matter

8.1 Particulate matter mass

8.1.1 PSP

8.1.2 Delivery pipe

- 8.1.3 Pre-classifier
- 8.1.4 Particulate matter sampling filter paper
- 8.1.5 Specifications for weighing chambers and analytical balances
- 8.2 Particle count
 - 8.2.1 Sampling
 - 8.2.2 Compensation of Particle Number Sample Flow Rate --- Full Flow Dilution System
 - 8.2.3 Compensation of Particle Number Sample Flow --- Partial Flow Dilution System
 - 8.2.4 PM measurement correction
 - 8.2.5 Partial flow dilution sampling ratio
- 8.3 Particle Dilution Sampling System Equipment
 - 8.3.1 Overview
 - 8.3.2 Partial flow dilution system
 - 8.3.3 Full flow dilution system
 - 8.3.4 Particulate sampling systems
- 8.4 Particle count measuring equipment
 - 8.4.1 System overview
 - 8.4.2 General requirements
 - 8.4.3 Special requirements
 - 8.4.4 Typical system overview
- 9 Calibration and Verification
 - 9.1 Calibration and performance check
 - 9.1.1 Overview
 - 9.1.2 Overview of calibration and verification
 - 9.1.3 Accuracy, Repeatability, and Noise Verification
 - 9.1.4 Linearity verification
 - 9.1.5 Continuous gas analysis system response and update record verification
 - 9.1.6 Response time verification of compensated analyzers
 - 9.2 Analytical gas
 - 9.2.1 Overview
 - 9.2.2 Gas specification
 - 9.2.3 Concentration and expiration date
 - 9.2.4 Gas delivery
 - 9.3 Vacuum side leak verification
 - 9.3.1 Scope and frequency
 - 9.3.2 Measuring principles

- 9.3.3 Low flow leak test
- 9.3.4 Span gas dilution leak test
- 9.3.5 Vacuum decay leak test
- 9.4 Conversion Verification of NO₂ to NO Converter
 - 9.4.1 Scope and frequency
 - 9.4.2 Measuring principles
 - 9.4.3 System requirements
 - 9.4.4 Procedure
- 9.5 Calibration and settings for gas measurements
 - 9.5.1 Scope and frequency
 - 9.5.2 Calibration
 - 9.5.3 HCFID response optimization
 - 9.5.4 Determination of HCFID methane response coefficient
 - 9.5.5 HCFID methane (CH₄) response verification
 - 9.5.6 Non-stoichiometric Raw Exhaust FID O₂ Interference Verification
 - 9.5.7 NMC Efficiency
 - 9.5.8 CO and CO₂ measurement
 - 9.5.9 NO_x measurement
 - 9.5.10 Methanol response coefficient
- 9.6 Calibration of PM mass measurement system
 - 9.6.1 Overview
 - 9.6.2 Partial Flow Status Check
 - 9.6.3 PM Balance Verification and Weighing Process Verification
- 9.7 Calibration of particle count measurement systems
 - 9.7.1 Calibration of particle counters
 - 9.7.2 Calibration/Verification of VPR
 - 9.7.3 Particle count system inspection procedures
- 9.8 Calibration of the CVS Full Flow Dilution System
 - 9.8.1 Overview
 - 9.8.2 Calibration of PDP
 - 9.8.3 Calibration of CFV
 - 9.8.4 Calibration of SSV
 - 9.8.5 CVS System and Batch Sampler Verification (Propane Check)
 - 9.8.6 Periodic calibration of part-flow PM and related raw exhaust gas measurement systems