

ICS 25.040
CCS N 10



**NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

GB/Z 26157.10-2010

**Digital data communication for measurement and control -- Fieldbus for
use in industrial control systems -- Type 2: ControlNet and EtherNet/IP
specification -- Part 10: Object library**

测量和控制数字数据通信 工业控制系统用现场总线 类型2: ControlNet和EtherNet/IP规范 第10部分: 对象库

(English Translation)

Issued on: January 14, 2011

Implemented on: June 1, 2011

**Issued by: General Administration of Quality Supervision, Inspection and
Quarantine of People's Republic of China, China National Standardization
Administration**

Table of Contents

Introduction

Introduction

1 Logo object (class code = 0x01)

1.1 Scope

1.2 Attributes

1.3 Public Services

1.4 Get_Attribute_AI response

1.5 Object Specific Services

1.6 Behavior

2 Message Router (Class Code = 0x02)

2.1 Scope

2.2 Properties

2.3 Public Services

2.4 Get_Attribute_AI Response

2.5 Object Specific Services

2.6 Behavior

2.7 Service Requests

2.8 Service Response

3 DeviceNet object (class code = 0x03)

4 Collection object (class code = 0x04)

4.1 Scope

4.2 Version History

4.3 Properties

4.4 Public Services

4.5 Object Specific Services

4.6 Behavior

4.7 Static collection

4.8 Dynamic collection

4.9 Connection point

5 Connection object (class code = 0x05)

6 Connection Manager object (class code = 0x06)

6.1 Scope

6.2 Properties	
6.3 Public Services	
6.4 Object Specific Services	
7 Register object (class code = 0x07)	
7.1 Scope	
7.2 Properties	
7.3 Public Services	
7.4 Object Specific Services	
7.5 Behavior	
8 Discrete input point object (class code = 0x08)	
8.1 Scope	
8.2 Version history	
8.3 Properties	
8.4 Public Services	
8.5 Get_Attribute_AI Response	
8.6 Set_Attribute_AI Request	
8.7 Object Specific Services	
8.8 Behavior	
8.9 Property Access Rules	
9 Discrete output point object (class code = 0x09)	
9.1 Scope	
9.2 Properties	
9.3 Public Services	
9.4 Get_Attribute_AI Response	
9.5 Set_Attribute_AI Request	
9.6 Object Specific Services	
9.7 Behavior	
9.8 Attributes Access Rules	
10 Analog Input Point Object (Class Code = 0x0A)	
10.1 Scope	
Version 10.2 History	
10.3 Properties	
10.4 Public Services	
10.5 Get_Attribute_AI Response	
10.6 Set_Attribute_AI Request	

- 10.7 Object Specific Services
- 10.8 Behavior
- 10.9 Attributes Access Rules
- 11 Analog output point object (class code = 0x0B)
 - 11.1 Scope
 - 11.2 Properties
 - 11.3 Public Services
 - 11.4 Get_Attribute_AI Response
 - 11.5 Set_Attribute_AI request
 - 11.6 Object Specific Services
 - 11.7 Behavior
 - 11.8 Attributes Access Rules
- 12 Reserved (class code = 0x0C)
- 13 Reserved (class code = 0x0D)
- Object Sensing Object (Class Code = 0x0E)
 - 14.1 Scope
 - 14.2 Attributes
 - 14.3 Public Services
 - 14.4 Object-Specific Services
 - 14.5 Behavior
- 15 Parameter object (class code = 0x0F)
 - 15.1 Scope
 - 15.2 Properties
 - 15.3 Public Services
 - 15.4 Get_Attribute_AI Response
 - 15.5 Object Specific Services
 - 15.6 Behavior
- 16 Parameter group object (class code = 0x10)
 - 16.1 Scope
 - 16.2 Attributes
 - 16.3 Public Services
 - 16.4 Get_Attribute_AI Response
 - 16.5 Object Specific Services
 - 16.6 Behavior
- 17 Reserved (class code = 0x11)

18 Groups of objects (class code = 0x12)

18.1 Scope

18.2 Attributes

18.3 Public Services

18.4 Get_Attribute_AI Response

18.5 Object Specific Services

18.6 Behavior

18.7 Attributes Access Rules

Reserved from 19 to

29 Discrete input group object (class code = 0x1D)

29.1 Scope

29.2 Properties

29.3 Public Services

29.4 Object Specific Services

29.5 Conduct

29.6 Attributes Access Rules

1 Logo object (class code = 0x01) 1

1.1

Scope 1

1.2

attributes 1

1.3

Public Services 5

1.4

Get_Attribute_AI response 6

1.5

Object Specific Services 7

1.6

Behavior 7

2 Message Router (Class Code = 0x02) 11

2.1 Scope 11