

ICS 25.040
CCS N 10



**NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

GB/Z 29619.4-2013

**Digital data communication for measurement and control -- Fieldbus for
use in industrial control systems -- Type 8: INTERBUS specification --
Part 4: Data Link protocol specification
(English Translation)**

Issued on: July 19, 2013

Implemented on: December 15, 2013

**Issued by: General Administration of Quality Supervision, Inspection and
Quarantine of People's Republic of China, China National Standardization
Administration**

Table of Contents

Introduction

Introduction

1 Scope

2 Normative references

3 Terms and definitions

3.1 Reference Model Terms and Definitions

3.2 Service Conventions Terms and Definitions

3.3 Other terms and definitions

4 Symbols and abbreviations

4.1 General Symbols and Abbreviations

4.2 Local Variables, Clocks, Counters, and Queues

5 Data Link Layer Protocol DL-protocol

5.1 Summary

5.2 DL-service interface (DLI)

5.3 Peripheral Equipment Data Link (PDL)

5.4 Basic Link Layer (BLL)

5.5 Media Access Control (MAC)

5.6 Layer 2 Peripheral Equipment Network Management (PNM2)

5.7 DLL parameters and monitoring time

Appendix A (informative) Possibility of implementation of the PNM2 function

References

Figure 1 data link layer and the relationship between other layers

Figure 2 data link layer entity

Figure 3 DLI in the DLL position

Figure 4 DLI state transition diagram

Figure 5 PDL in the DLL position

Figure 6 PDL link between master and slave

Figure 7 Interface between PDL-user (DLI) and PDL in a layered model

Figure 8 PDL Service Overview

Figure 9 PDL_Data_Ack Service Between Master and Slave

Figure 10 PDL_Data_Ack service parallel processing

Figure 11 PSM and GSM Services for Buffer Access

Figure 12 indicates Buffer_Received service 16 for successful data transfer
Figure 13 PDL_Data_Ack service data flow between PDL-user, PDL and BLL
Figure 14 Interface between PDL and PNM2 in a layered model
Figure 15 Reset, SetValue and GetValuePDL Services
Figure 16 EventPDL service
Figure 17 Master and slave transmission FCB and receive FCB
Figure 18 Master -> Slave Data Transfer with SWA
Figure 19 Master -> Slave Data Transfer Timing with SWA
Figure 20 Slave with RWA/SWA telegram -> Master data transfer
Figure 21 Slave -> Master Data Transfer with RWA/SWA telegram
Figure 22 PDL protocol machine and the allocation of data cycle action
Figure 23 Message Transfer. Master -> Slave
Figure 24 Message Transfer Slave -> Master
Figure 25 Code octet 26 for a PDL PDU
Figure 26 Structure of a word length message
Figure 27 Structure of a SPA message
Figure 28 SVA message structure
Figure 29 Structure of FCB_SET message
Figure 30 RWA message structure
Figure 31 SWA message structure
Figure 32 Structure of SPA or SVA message validation
Figure 33 FCB_SET as a confirmed structure
Figure 34 Structure of octets as requested and validated FCB_SET data
Figure 35 Message structure 30 with more than one word size
Figure 36 PDL Basic Protocol Machine
Figure 37 Location of PDL and PDL Protocols in Master and Slave
Figure 38 PDL Protocol Machine
Figure 39 TRANSMIT Protocol Machine
Figure 40 RECEIVE Protocol Machine
Figure 41 BLL Location in the DLL
Figure 42 Interface between PDLs and BLLs in a layered model
Figure 43 BLL_Data Service
Figure 44 Interface Between PNM2 and BLL in Hierarchical Model
Figure 45 Reset, SetValue and GetValue BLL Services
Figure 46 EventBLL service

Figure 47 Master BLL Operation Protocol Machine
Figure 48 BLL-BAC Protocol Machine
Figure 49 Slave BLL Operation Protocols
Figure 50 MAC in the DLL position
Figure 51 Model Details for Tier 1 and Tier 2
Figure 52 DLPDU cycle of error-free data sequence
Figure 53 DLPDU Period 63 for Wrong Data Sequence
Figure 54 Data sequence DLPDU 63 sent by the master
Figure 55 Master receives the data sequence DLPDU
Figure 56 Check Sequence DLPDU
Figure 57 Return Word (LBW)
Figure 58 Master generated checksum status
Figure 59 Master checksum status
Figure 60 MAC protocol master station. Message transmission
Figure 61 Master MAC Protocol Machine
Figure 62 Master MAC Sublayer
Figure 63 Data sequence DLPDU 74 received by a slave
Figure 64 Data Sequence DLPDU 74 Sent by Slave
Figure 65 Status of the checksum received 75 from the slave
Figure 66 Status of checksum generated by slave
Figure 67 Slave MAC Sublayer Status Transitions
Figure 68 Status Transition of Slave MAC Sublayer. Check Sequence
Figure 69 Interface between MAC-user and MAC in a hierarchical model
Figure 70 Interaction on the MAC-user interface (master)
Figure 71 Interaction on MAC-user Interface (Slave)
Figure 72 Interface between MAC and PNM2 in a layered model
Figure 73 Reset, SetValue, and GetValueMAC Services
Figure 74 EventMAC Service
Figure 75 Location of PNM2 in the DLL
Figure 76 Interface between PNM2-user and PNM2 in a layered model
Figure 77 Reset, SetValue, GetValue, and GetActiveConfiguration Services
Figure 78 EventPNM2 Service
Figure 79 SetActiveConfiguration, GetCurrentConfiguration Service
Figure 80 active_configuration parameter
Figure 81 Device Code Structure

Figure 82 Data Width, Relationship Between Process Data Channels and Parameter Channels

Figure 83 Structure of Control Code

Figure A.1 DL-subnetwork configuration in the form of a tree structure

Figure A.2 Get the current configuration of the state machine

Figure A.3 compares two configured state machines

Figure A.4 compares two state machines 108 that configure one row of the matrix

Table 1 DLS-/DLMS-user primitives posted to DLI

Table 2 Primitives for DLI Publishing to DLS-/DLMS-user

Table 3 DLI Status Table --- Sender Transaction

Table 4 DLI Status Table - Recipient Transaction

Table 5 GetOffset features

Table 6 GetLength function

Table 7 GetRemAdd function

Table 8 GetDisUserId function

Table 9 PDL_Data_Ack

Table 10 PDL_Data_AckL_status value

Table 11 PSM

Table 12 GSM

Table 13 PDL_Reset

Table 14 PDL_Set_Value

Table 15 PDL Variables

Table 16 PDL_Get_Value

Table 17 PDL_Event

Table 18 Events

Table 19 L_status code

Table 20 FCL Codes - Types

Table 21 PDL Basic Protocol Machine State Transfer

Table 22 PDL Protocol Machine Counter

Table 23 "connection" sign meaning

Table 24 PDL Protocol Machine State Transition

Table 25 TRANSMIT Protocol Machine State Transition

Table 26 RECEIVE Protocol Machine State Transitions

Table 27 BLL_Data

Table 28 BLL_Data