Chinastandards.org

ICS 65.020
CCS B 32

GH

GH/T 1062-2010

Gossypol acetic acid

醋酸棉酚

(English Translation)

Issued on: August 30, 2010 **Implemented on: December 1, 2010**

Issued by: All-China Federation of Supply and Marketing Cooperatives

Preview: page 1 of 4 shown, 6 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/gh-t-1062-2010

Chinastandards.org

Table of Contents

[Preview only]
1 Scope
2 Normative references
3 Terms and definitions
3.1 Lacquer afforestation
3.2 Lacquer afforestation methods
4 Product classification
4.1 Selection of improved varieties
4.2 Domestic fine varieties
5 Technical requirements
5.1 Affecting conditions
5.2 Altitude and topography
5.3 Soil
5.4 Strengthen the management of lacquer forest tending and enhance tree vigor
5.5 Reasonable layout
6 Test methods
6.1 Site preparation time
6.2 Ground preparation methods
6.3 Site preparation requirements
7 Inspection rules
7.1 Seedling selection
7.2 Seedling packaging and transportation
7.3 Seedling treatment
8 Marking, packaging, transport and storage
8.1 Afforestation density
8.2 Planting hole configuration
8.3 Planting
8.4 Planting season
9 Young Forest Management
9.1 Management
9.2 Weeding and Loosening
9.3 Replanting

Preview: page 2 of 4 shown, 6 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/gh-t-1062-2010

9.4 Detection and control of pests and diseases

1 Foreword

GH/T 1062-2010 was issued by All-China Federation of Supply and Marketing Cooperatives on 30 August 2010 and has been in force since 1 December 2010.

The GH/T prefix marks a recommended standard. It is not law in itself: it becomes binding when a contract names it, when a regulation or a mandatory standard refers to it, or when a producer declares conformity with it.

The document runs to 6 pages in English translation.

2 Scope Preview

This standard specifies the requirements, test methods, inspection rules and marking, packaging, transportation and storage of gossypol acetate. This standard is applicable to the gossypol acetate product extracted from cottonseed and refined by special process with purity >=98%. Structure. Molecular formula. C32H34O10 Relative molecular mass. 578.61 CAS. 12542-36-8 this product is acetic acid-2,2' bis[8-formyl-1,3,7-trihydroxy-5-isopropyl-3-methylnaphthalene]. Calculated according to the dry product containing C32H34O10 it is 97.0%~103.0%.

GH/T 1062-2010 falls under ICS 65.020, in the field of agriculture.

This catalogue holds 78 other GH/T standards in that field.

In this catalogue, GH/T standards carry edition years from 1998 to 2026.

3 Normative references

GB/T 601

GB/T 603

GB/T 6682-2008 - Water for analytical laboratory use - Specification and test methods

GB/T 14436

GB 15346

4 About this standard

Issued by: All-China Federation of Supply and Marketing Cooperatives

English translation: about 6 pages

Preview: page 3 of 4 shown, 6 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/gh-t-1062-2010

Chinese original: about 8,896 characters

5 Related standards

Standards on related subjects:

GB/T 6499-2022 - Test method for percentage of trash content in raw cotton

GB/T 6102.2-2012 - Test method for moisture regain in raw cotton - Electrical resistance meter

GB/T 11763-2008 - Cotton seed

GH/T 1262-2019 - Cottonseed hulls

6 Classification and status

International classification (ICS): 65.020

Chinese Standard Classification (CCS): B 32

Prefix GH/T: recommended standard.

Preview: page 4 of 4 shown, 6 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/gh-t-1062-2010