Chinastandards.org

ICS 65.040.20
CCS B 93

GH

# GH/T 1098-2014

## Seedcotton stack temperature and humidity monitoring instrument

籽棉温湿度监测仪

**(English Translation)**

**Issued on: October 1, 2014** **Implemented on: December 1, 2014**

**Issued by: All-China Federation of Supply and Marketing Cooperatives**

Preview: page 1 of 4 shown, 6 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/gh-t-1098-2014

Chinastandards.org

# Table of Contents

[Preview only]
1 Scope
2 Normative references
3 Terms and definitions
3.1 Lacquer afforestation
3.2 Lacquer afforestation methods
4 Product classification
4.1 Selection of improved varieties
4.2 Domestic fine varieties
5 Technical requirements
5.1 Affecting conditions
5.2 Altitude and topography
5.3 Soil
5.4 Strengthen the management of lacquer forest tending and enhance tree vigor
5.5 Reasonable layout
6 Test methods
6.1 Site preparation time
6.2 Ground preparation methods
6.3 Site preparation requirements
7 Inspection rules
7.1 Seedling selection
7.2 Seedling packaging and transportation
7.3 Seedling treatment
8 Marking, packaging, transport and storage
8.1 Afforestation density
8.2 Planting hole configuration
8.3 Planting
8.4 Planting season
9 Young Forest Management
9.1 Management
9.2 Weeding and Loosening
9.3 Replanting



Preview: page 2 of 4 shown, 6 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/gh-t-1098-2014

9.4 Detection and control of pests and diseases

## 1 Foreword

GH/T 1098-2014 was issued by All-China Federation of Supply and Marketing Cooperatives on 1 October 2014 and has been in force since 1 December 2014.

The GH/T prefix marks a recommended standard. It is not law in itself: it becomes binding when a contract names it, when a regulation or a mandatory standard refers to it, or when a producer declares conformity with it.

The document runs to 6 pages in English translation.

## 2 Scope Preview

This standard specifies the technical requirements, test methods, inspection rules and marking, packaging, transportation and storage of seed cotton temperature and humidity monitors. This standard applies to the production, inspection and production of seed cotton temperature and humidity monitors used by cotton production, acquisition, processing trade, warehousing and other enterprises.

GH/T 1098-2014 falls under ICS 65.040.20, in the field of agriculture.

This catalogue holds 78 other GH/T standards in that field.

In this catalogue, GH/T standards carry edition years from 1998 to 2026.

## 3 Normative references

GB/T 191

GB/T 2423.1-2008 - Environmental testing for electric and electronic products - Part 2: Test methods - Tests A: Cold

GB/T 2423.2-2008 - Environmental testing for electric and electronic products - Part 2: Test methods - Tests B: Dry heat

GB/T 2423.3-2006 - Environmental testing for electric and electronic products - Part 2: Testing method - Test Cab: Damp heat, steady state

GB/T 2423.4-2008 - Environmental testing for electric and electronic products - Part 2: Test method - Test Db: Damp heat, cyclic (12 h + 12 h cycle)

GB 6388



Preview: page 3 of 4 shown, 6 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/gh-t-1098-2014

## 4 About this standard

Issued by: All-China Federation of Supply and Marketing Cooperatives

English translation: about 6 pages

Chinese original: about 8,838 characters

## 5 Related standards

Standards on related subjects:

LY/T 1346-2011 - Forestry machinery. Portable chain-saws. Determination of balance and maximum holding moment

GH/T 1096-2014 - Module truck

GH/T 1095-2014 - Modeler

GH/T 1094-2014 - Seedcotton dryer

## 6 Classification and status

International classification (ICS): 65.040.20

Chinese Standard Classification (CCS): B 93

Prefix GH/T: recommended standard.



Preview: page 4 of 4 shown, 6 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/gh-t-1098-2014