Chinastandards.org

ICS 73.080
CCS Q 21

JC

BUILDING MATERIALS INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

JC/T 1020-2007

Replacing JC/T 67-1982 (1996); JC/T 68-1982 (1996); JC/T 331-1992 (1996); JC/T 341-1982 (1996)

Expanded perlite for thermal isolation of low temperature equipment

低温装置绝热用膨胀珍珠岩 清晰版

(English Translation)

Issued on: November 3, 2006 **Implemented on: April 1, 2007**

Issued by: Ministry of Industry and Information Technology

Preview: page 1 of 3 shown, 7 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/jc-t-1020-2007

Table of Contents

[Preview only]
1 Scope
2 Normative references
3 Terms and definitions
4 Technical requirements
4.1 Classification
4.2 Designation
6 Test methods
7 Inspection Rules
9 Marking, Packaging, Transportation and Storage

1 Foreword

JC/T 1020-2007 was issued by Ministry of Industry and Information Technology on 3 November 2006 and has been in force since 1 April 2007.

It replaces the earlier edition JC/T 67-1982 (1996); JC/T 68-1982 (1996); JC/T 331-1992 (1996); JC/T 341-1982 (1996).

The JC/T prefix marks a recommended standard. It is not law in itself: it becomes binding when a contract names it, when a regulation or a mandatory standard refers to it, or when a producer declares conformity with it.

2 Scope Preview

This standard specifies the rubber seal asbestos packing, Oil asbestos gland packing, PTFE gland packing asbestos terminology and definitions, classification, technical requirements, test methods, inspection rules, and packaging, signs, transportation and storage. This standard applies pressure 8MPa less, temperature is below 550°C steam engine, reciprocating pump piston and valve stem seals rubber asbestos packing, pressure of 4. 5MPa or less, temperature below 350°C, the medium is steam, air, Industry water, rotary heavy petroleum products, reciprocating pump piston and valve rod seal oil asbestos packing, pressure of 12MPa or less, temperature of pipeline valves -100°C ~ 250°C of, PTFE piston rod asbestos stuffing.

JC/T 1020-2007 falls under ICS 73.080, in the field of mining and minerals.

This catalogue holds 58 other JC/T standards in that field.

Preview: page 2 of 3 shown, 7 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/jc-t-1020-2007

In this catalogue, JC/T standards carry edition years from 1973 to 2026.

3 About this standard

Issued by: Ministry of Industry and Information Technology

English translation: about 7 pages

Chinese original: about 10,153 characters

Supersedes the earlier edition JC/T 67-1982 (1996); JC/T 68-1982 (1996); JC/T 331-1992 (1996); JC/T 341-1982 (1996).

4 Related standards

Other editions:

JC/T 1020-2026 (later edition)

Standards on related subjects:

GB 46028-2025 - Safety technical requirements for building decorative stone

JC/T 973-2005 - Natural stone protector for building decoration

GB/T 9966.3-2001 - Test methods for natural facing stones -- Part 3: Test methods for bulk density, true density, true porosity and water absorption

JC/T 2902-2025 - Masonry stone for building

JC/T 2087-2025 - Natural-finish art stone for architectural decoration

JC/T 1081-2025 - Technical specification for quarry of decorative stone

5 Classification and status

International classification (ICS): 73.080

Chinese Standard Classification (CCS): Q 21

Prefix JC/T: recommended standard.

Preview: page 3 of 3 shown, 7 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/jc-t-1020-2007