Chinastandards.org

ICS 91.120.30
CCS Q 17

JC

BUILDING MATERIALS INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

JC/T 1078-2008

Reclaim crumb rubber modified bituminous waterproofing sheet using a combinative reinforcement of polyester and glass fabric mesh

胶粉改性沥青聚酯毡与玻纤网格布增强防水卷材 清晰版

(English Translation)

Issued on: February 1, 2008 **Implemented on: July 1, 2008**

Issued by: Ministry of Industry and Information Technology

Preview: page 1 of 3 shown, 7 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/jc-t-1078-2008

Table of Contents

[Preview only]
1 Scope
2 Normative references
3 Terms and definitions
3.1 Classification
3.2 Marking
4.2 Designation
5 Technical requirements
5.1 Basic requirementss
5.2 Requirements before packing
5.3 Principles for subpackage of products
5.4 Packing materials and material requirements
5.5 Box manufacturing requirements
5.6 Packing requirements
5.7 Protection requirement
6 Test methods
8 Inspection Rules
9 Marking, Packaging, Transportation and Storage

1 Foreword

JC/T 1078-2008 was issued by Ministry of Industry and Information Technology on 1 February 2008 and has been in force since 1 July 2008.

The JC/T prefix marks a recommended standard. It is not law in itself: it becomes binding when a contract names it, when a regulation or a mandatory standard refers to it, or when a producer declares conformity with it.

The document runs to 7 pages in English translation.

2 Scope Preview

This standard specifies the fiberglass mat rubber modified asphalt waterproofing membrane reinforced with polyethylene film classification, technical requirements, , test methods, inspection rules, raw mark, packaging, storage and transport. This standard

Preview: page 2 of 3 shown, 7 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/jc-t-1078-2008

applies to glass fiber mat with polyethylene film for the child group, such as powder coated polymer modified bitumen, polyethylene film as cladding material made ??of a waterproof membrane.

JC/T 1078-2008 falls under ICS 91.120.30, in the field of construction materials and building.

This catalogue holds 579 other JC/T standards in that field.

In this catalogue, JC/T standards carry edition years from 1973 to 2026.

3 About this standard

Issued by: Ministry of Industry and Information Technology

English translation: about 7 pages

Chinese original: about 10,120 characters

4 Related standards

Standards on related subjects:

JC/T 1068-2008 - Waterproof materials for pitched roof Underlayments of self adhering polymer modified bituminous

GB/T 328.8-2007 - Test methods for building sheets for waterproofing -- Part 8: Bitumen sheets for waterproofing-tensile properties

GB/T 328.9-2007 - Test methods for building sheets for waterproofing -- Part 9: Plastic and rubber sheets for waterproofing-tensile properties

JC/T 1077-2008 - Reclaim crumb rubber modified bituminous waterproofing sheet using a combinative reinforcement of glass felt and polyethylene

JC/T 1071-2008 - Granule for asphalt shingles

JC/T 1069-2008 - Primer of substrate used for bituminous waterproofing sheet

5 Classification and status

International classification (ICS): 91.120.30

Chinese Standard Classification (CCS): Q 17

Prefix JC/T: recommended standard.

Preview: page 3 of 3 shown, 7 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/jc-t-1078-2008