Chinastandards.org

ICS 91.120.30
CCS Q 17

JC

BUILDING MATERIALS INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

JC/T 2252-2014

Primer and putty for spray polyurea coating

喷涂聚脲用底涂和腻子

(English Translation)

Issued on: October 14, 2014 **Implemented on: April 1, 2015**

Issued by: Ministry of Industry and Information Technology

Preview: page 1 of 3 shown, 7 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/jc-t-2252-2014

Chinastandards.org

Table of Contents

[Preview only]
1 Scope
2 Normative references
3 Terms and definitions
3.1 Classification
3.2 Marking
4.2 Designation
5 Technical requirements
5.1 Basic requirementss
5.2 Requirements before packing
5.3 Principles for subpackage of products
5.4 Packing materials and material requirements
5.5 Box manufacturing requirements
5.6 Packing requirements
5.7 Protection requirement
6 Test methods
8 Inspection Rules
9 Marking, Packaging, Transportation and Storage

1 Foreword

JC/T 2252-2014 was issued by Ministry of Industry and Information Technology on 14 October 2014 and has been in force since 1 April 2015.

The JC/T prefix marks a recommended standard. It is not law in itself: it becomes binding when a contract names it, when a regulation or a mandatory standard refers to it, or when a producer declares conformity with it.

The document runs to 7 pages in English translation.

2 Scope Preview

This Standard specifies the use of spray polyurea primer and putty marks, general requirements, technical requirements, test methods, inspection rules and signs, packaging, transportation and storage. This Standard applies to spray polyurea waterproofing

Preview: page 2 of 3 shown, 7 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/jc-t-2252-2014

JC/T 2252-2014 falls under ICS 91.120.30, in the field of construction materials and building.

This catalogue holds 579 other JC/T standards in that field.

In this catalogue, JC/T standards carry edition years from 1973 to 2026.

3 About this standard

Issued by: Ministry of Industry and Information Technology

English translation: about 7 pages

Chinese original: about 10,151 characters

4 Related standards

Standards on related subjects:

JC/T 2428-2017 - Non-curable rubber modified asphalt coating for waterproofing

GB/T 328.8-2007 - Test methods for building sheets for waterproofing -- Part 8: Bitumen sheets for waterproofing-tensile properties

GB/T 328.9-2007 - Test methods for building sheets for waterproofing -- Part 9: Plastic and rubber sheets for waterproofing-tensile properties

JC/T 2254-2014 - Lapping adhesive for spray polyurea layer agents

JC/T 2253-2014 - Aliphatic polyurethane weathering waterproof coating

JC/T 2251-2014 - Polymethyl methacrylate coating for waterproofing

5 Classification and status

International classification (ICS): 91.120.30

Chinese Standard Classification (CCS): Q 17

Prefix JC/T: recommended standard.

Preview: page 3 of 3 shown, 7 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/jc-t-2252-2014