Chinastandards.org

CCS Q 24

JC

BUILDING MATERIALS INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

JC/T 2379-2016

Epoxy resin grouting material for foundation and foundation treatment

地基与基础处理用环氧树脂灌浆材料

(English Translation)

Issued on: July 11, 2016

Issued by: Ministry of Industry and Information Technology

Preview: page 1 of 3 shown, 7 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/jc-t-2379-2016

Table of Contents

[Preview only]
1 Scope
2 Normative references
3 Terms and definitions
4 Technical requirements
4.1 Classification
4.2 Designation
6 Test methods
7 Inspection Rules
9 Marking, Packaging, Transportation and Storage

1 Foreword

JC/T 2379-2016 was issued by Ministry of Industry and Information Technology on 11 July 2016.

The JC/T prefix marks a recommended standard. It is not law in itself: it becomes binding when a contract names it, when a regulation or a mandatory standard refers to it, or when a producer declares conformity with it.

The document runs to 7 pages in English translation.

2 Scope Preview

This standard specifies the terms and definitions, general requirements, technical requirements, test methods, inspection rules, and marking, packaging, transportation and storage applicable to epoxy resin grouting materials for foundation and foundation treatment.

JC/T 2379-2016 is filed under Chinese Standard Classification Q 24, in the field of building materials.

This catalogue holds 931 other JC/T standards without an ICS number.

In this catalogue, JC/T standards carry edition years from 1973 to 2026.

Preview: page 2 of 3 shown, 7 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/jc-t-2379-2016

3 About this standard

Issued by: Ministry of Industry and Information Technology

English translation: about 7 pages

Chinese original: about 10,179 characters

4 Related standards

Standards on related subjects:

GB/T 13477.11-2017 - Test method for building sealants -- Part 11: Determination of tensile properties at maintained extension after immersion in water

GB/T 13477.10-2017 - Test method for building sealants - Part 10: Determination of tensile properties at manitained extension

JC/T 936-2004 - [JC/T 936-2004] One-component polyurethane foam

JC/T 2235-2025 - Silicious protector for concrete

JC/T 2800-2024 - Green factory evaluation requirements for building sealant industry

JC/T 2560-2020 - Corner sealant for building doors and windows

5 Classification and status

Chinese Standard Classification (CCS): Q 24

Prefix JC/T: recommended standard.

Preview: page 3 of 3 shown, 7 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/jc-t-2379-2016