

ICS 91.180
CCS P 32

JGJ

**INDUSTRY STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

JGJ 321-2014

**Technical specification for dot-hanging exterior wall panel
engineering
(English Translation)**

Issued on: June 24, 2014

Implemented on: March 1, 2015

**Issued by: Ministry of Housing and Urban-Rural Development of the
People's Republic of China**

Table of Contents

What this standard covers	1
Document data	2
Standards quoted by this document	3

What this standard covers

This standard is applicable to the design, manufacture, installation, inspection and maintenance of non - seismic design and 6, 7 - degree and 8 - degree seismic design. The installation height should meet the following requirements: 1 The base of the reinforced concrete structure, should not exceed 100m; 2 matrix for the strengthening of the solid brick structure, should not exceed 24m.

Document data

International classification (ICS): 91.180.

Chinese classification (CCS): P32.

Estimated length of the Chinese original: 73,745 words.

Standards quoted by this document

GB 50003; GB 50009; GB 50016; GB 50017; GB 50018; GB 50189; GB 50203; GB 50300; GB 50429; GB/T 50502; GB/T 700; GB/T 1591; GB/T 3190; GB 5237.1; GB 5237.2; GB 5237.3; GB 5237.4; GB 5237.5; GB 5237.6; GB/T 9966.8; GB 11968; GB 16776; GB/T 18601; GB/T 19766