

ICS 17.040
CCS A 52

JJF

**INDUSTRY STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

JJF 1941-2021

**Calibration Specification for Material Measures of Length
Measuring Instrument with Optical Principle
(English Translation)**

Issued on: December 8, 2021

Implemented on: June 8, 2022

Issued by: State Administration for Market Regulation

Table of Contents

Introduction (III)	
1 Scope(1)	
2 References(1)	
3 Overview(1)	
3.1 Square ruler(1)	
3.2 Knife-edged square (1)	
3.3 Reticle Arbor (2)	
3.4 Tapered mandrel (2)	
3.5 Standard mandrel(2)	
3.6 Cube(3)	
3.7 Eccentric shaft(3)	
3.8 Special glass ruler (4)	
4 Metrological characteristics(4)	
4.1 Square ruler(4)	
4.2 Knife-edged square (4)	
4.3 Reticle mandrel (5)	
4.4 Cone mandrel (5)	
4.5 Standard mandrel(5)	
4.6 Cube(5)	
4.7 Eccentric shaft (6)	
4.8 Special glass ruler (6)	
5 Calibration conditions(6)	
5.1 Environmental conditions (6)	
5.2 Measuring standards and other equipment (6)	
5.3 Other conditions (9)	
6 Calibration Items and Calibration Methods(9)	
6.1 Square ruler(9)	
6.2 Knife-edged square (9)	
6.3 Reticle mandrel (11)	
6.4 Tapered mandrel (12)	
6.5 Standard Mandrel(14)	
6.6 Cube(14)	

6.7 Eccentric shaft (17)
6.8 Special glass ruler (17)
7 Expression of Calibration Results(18)
8 Recalibration interval(18)
Appendix A Evaluation of Uncertainty in Measurement of Flatness of Square Square Ruler (19)
Appendix B Evaluation of Measurement Uncertainty of Angle Deviation of Knife-edge Square (22)
Appendix C Measurement Uncertainty Evaluation of the Deviation Between the Crosshair of the Crosshair Mandrel and the Line Connecting the Centers of the Two Center Holes (24)
Appendix D Measurement Uncertainty Evaluation of Cone Half Angle Deviation of Cone Mandrel (26)
Appendix E Evaluation of Measurement Uncertainty of Standard Mandrel Runout (29)
Appendix F Measurement Uncertainty Evaluation of Square Working Angle Deviation (31)
Appendix G Measurement Uncertainty Evaluation of Eccentric Shaft Eccentricity (33)
Appendix H Evaluation of Measurement Uncertainty of Grading Line Deviation of Special Glass Ruler (35)
Appendix I Calibration Certificate Contents and Inner Page Format (37)

3 Overview(1)

3.1

Square ruler(1)

3.2

Knife-edged square (1)

3.3

Reticle Arbor (2)

3.4

Tapered mandrel (2)

3.5

Standard mandrel(2)

3.6

Cube(3)

3.7

Eccentric shaft(3)

3.8

Special glass ruler (4)

4 Metrological characteristics(4)

4.1

Square ruler(4)

4.2

Knife-edged square (4)

4.3

Reticle mandrel (5)

4.4

Cone mandrel (5)

4.5

Standard mandrel(5)

4.6

Cube(5)

4.7

Eccentric shaft (6)

4.8

Special glass ruler (6)

5 Calibration conditions(6)

5.1

Environmental conditions (6)

5.2

Measuring standards and other equipment (6)

5.3

Other conditions (9)

6 Calibration Items and Calibration Methods(9)

6.1

Square ruler(9)

6.2

Knife-edged square (9)

6.3

Reticle mandrel (11)

6.4

Tapered mandrel (12)

6.5

Standard Mandrel(14)

6.6

Cube(14)

6.7

Eccentric shaft (17)

6.8

Special glass ruler (17)

8 Recalibration interval(18)

Appendix A Evaluation of Uncertainty in Measurement of Flatness of Square Square Ruler (19)

Appendix B Evaluation of Measurement Uncertainty of Angle Deviation of Knife-edge Square (22)

Appendix C Measurement Uncertainty Evaluation of the Deviation Between the Crosshair of the Crosshair Mandrel and the Line Connecting the Centers of the Two Center Holes (24)

Appendix D Measurement Uncertainty Evaluation of Cone Half Angle Deviation of Cone Mandrel (26)

Appendix E Evaluation of Measurement Uncertainty of Standard Mandrel Runout (29)

Appendix F Measurement Uncertainty Evaluation of Square Working Angle Deviation (31)

Appendix G Measurement Uncertainty Evaluation of Eccentric Shaft Eccentricity (33)

Appendix H Evaluation of Measurement Uncertainty of Grading Line Deviation of Special