

ICS 71.100.70

QB

**LIGHT INDUSTRY STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

QB/T 4079-2010

**Massage Base Oil, Massage Oil
(English Translation)**

Issued on: November 22, 2010

Implemented on: March 1, 2011

Issued by: Ministry of Industry and Information Technology of PRC

Table of Contents

Foreword...	3
1 Scope...	4
2 Normative References...	4
3 Terms and Definitions...	4
4 Classification...	5
5 Requirements...	5
6 Test Methods...	6
7 Inspection Rules...	7
8 Marking, Packaging, Transportation, Storage and Shelf Life...	7
Appendix A (Normative) Test Methods of the Acid Value...	9
Appendix B (Normative) Test Methods of the Peroxide Value...	11
Appendix C (Normative) Test Methods of the Saponification Value...	13

1 Scope

This Standard specifies the terms and definitions, classification, requirements, test methods, inspection rules and marking, packaging, transportation, storage and shelf life of massage base oil and massage oil.

This Standard is applicable to massage base oil and massage oil products, not to children's massage products or eye massage products

2 Normative References

The following documents are essential to the application of this document. For the dated documents, only the versions with the dates indicated are applicable to this document; for the undated documents, only the latest version (including all the amendments) are applicable to this document.

GB 5296.3 Instruction for Use of Consumer Products - General Labelling for

Cosmetics

GB/T 26516 Massage Essential Oil

QB/T 1684 Inspecting Rules for Cosmetics

QB/T 1685 Requirements of Packaging Appearance for Cosmetic Products

JJF 1070 The Rules of Metrological Inspection for Net Content of Prepackaged

Commodity with Fixed Content

No. 75 Command of the General Administration of Quality Supervision, Inspection and Quarantine Measures for the Supervision and Management of

Quantitative Packaging Commodities

WJDF [2007] No. 1 Hygienic Standard for Cosmetics

3 Terms and Definitions

For the purpose of this document, the following terms and definitions apply.

6.3 Hygienic indicators

Test according to the method specified in the WJDF [2007] No.1 provision

6.4 Net content

Test according to the relative density method in D.3 or D.4 in Appendix of JJF 1070.

6.5 Appearance requirements of packaging

Test according to the provisions of QB/T 1685.

7 Inspection Rules

It shall be implemented according to QB/T 1684.

8 Marking, Packaging, Transportation, Storage and

Shelf Life

8.1 Marking of sales packaging

8.1.1

The Massage base oil should indicate the type of plant oil added to the product

8.1.2

The massage oil shall be marked by the following contents:

- a) Type and content of the massage essential oil;
- b) Type of plant oil of the massage base oil added to the product;
- c) Avoid contact around the eyes;

- d) Do not take orally;
- e) Do not use for pregnant women, infants, people with high blood pressure, kidney disease, epilepsy, skin damage; those with sensitive skin can only use after passing the skin test.
- f) Avoid light, seal and store at low temperature.

8.1.3

Other markings shall be implemented as per GB 5296.3.

8.2 Packaging

The inner packaging of the product shall be sealed with glass or ceramic bottles that can be protected from light. Others shall be implemented according to QB/T 1685

Appendix A (Normative)

Test Methods of the Acid Value

A.1 Principle

Titrate the free fatty acids in massage essential oil and massage oil by potassium hydroxide standard solution.

A.2 Reagents and materials

Unless otherwise specified, the reagents are analytically pure; and the water is distilled water or water of equivalent purity.

A.2.1 Ether-ethanol mixture: mix according to ether-ethanol (2+1, volume fraction).

Use the potassium hydroxide solution (3g/L) to neutralize until the phenolphthalein indicator solution was neutral.

A.2.2 Potassium hydroxide standard titration solution [$c(\text{KOH}) = 0.05 \text{ mol/L}$].

A.2.3 Phenolphthalein indicator solution: 10 g/L ethanol solution.

A.3 Instruments

A.3.1 Analytical balance: accuracy of 0.0001g.

A.3.2 Conical flask.

A.3.3 Burette.

A.4 Analysis procedures

Accurately take 3g~5g of sample (accurate to 0.0001g); place it in a conical flask; add 50mL of neutral ether-ethanol mixture (A.2.1); shake to dissolve the oil; and put it in hot water, if necessary, to promote its dissolution. Cool to room temperature, add 2~3 drops of phenolphthalein indicator solution (A.2.3); titrate by 0.05 mol/L potassium hydroxide standard titration solution (A.2.2), until it appears reddish; and the end point is that the solution does not fade within 0.5min.

A.5 Calculation of results

The acid value is calculated according to Formula (A.1):

Appendix B (Normative)

Test Methods of the Peroxide Value

B.1 Principle

During the oxidation of massage base oil and massage oil, peroxide is generated; and it interacts with potassium iodide to generate free iodine. Titrate by sodium thiosulfate solution; and calculate the content

B.2 Reagents and materials

Unless otherwise specified, the reagents are analytically pure; and the water is distilled water or water of equivalent purity.

B.2.1 Saturated potassium iodide solution: take 14g of potassium iodide; add 10mL of

water to dissolve; dissolve with slight heat if necessary; cool and store in a brown bottle.

B.2.2 Chloroform-glacial acetic acid mixture: take 40mL of chloroform; add 60mL of

glacial acetic acid; and mix well.

B.2.3 Sodium thiosulfate standard titration solution [$c(\text{Na}_2\text{S}_2\text{O}_3) = 0.002 \text{ mol/L}$].

B.2.4 Starch indicator (10 g/L): take 0.5g of soluble starch; add a little water to make a paste; pour into 50mL boiling water and mix well; boil. Prepare it just before use.