Chinastandards.org

CCS A 47

QX

INDUSTRY STANDARD OF THE

PEOPLE'S REPUBLIC OF CHINA

QX/T 428-2018

Specifications for risk investiggation into disaster induced by rainstorm - Flood in smalland medium-sized river basin

暴雨诱发灾害风险普查规范中小河流洪水

(English Translation)

Issued on: June 26, 2018 **Implemented on: October 1, 2018**

Issued by: China Meteorological Administration

Preview: page 1 of 3 shown, 20 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/qx-t-428-2018

Table of Contents

[Preview only]
1 Scope
2 Normative References
2.1 Terms
3 Terms and Definitions
4 Overview
4.1 General requirements
5 Technical Requirements
6 Calibration conditions
6.1 Environmental conditions
6.2 Measurement standards and other equipment
7 Calibration items and calibration methods
7.1 Calibration Items
7.2 Calibration method
8 Expression of calibration results
9 Recalibration interval

1 Foreword

QX/T 428-2018 was issued by China Meteorological Administration on 26 June 2018 and has been in force since 1 October 2018.

The QX/T prefix marks a recommended standard. It is not law in itself: it becomes binding when a contract names it, when a regulation or a mandatory standard refers to it, or when a producer declares conformity with it.

The document runs to 20 pages in English translation.

2 Scope Preview

QX/T 428-2018 is filed under Chinese Standard Classification A 47, in the field of general, standardization and metrology.

This catalogue holds 448 other QX/T standards without an ICS number.

In this catalogue, QX/T standards carry edition years from 2001 to 2026.

Preview: page 2 of 3 shown, 20 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/qx-t-428-2018

3 About this standard

Issued by: China Meteorological Administration

English translation: about 20 pages

Chinese original: about 30,373 characters

4 Related standards

Standards on related subjects:

GB/T 33679-2017 - Technical safety requirements of rocket production for rainfall enhancement and hail suppression

GB/T 33673-2017 - Grade of horizontal visibility

DZ/T 0175-2014 - Specifications for Geological Mapping of Coal (1:50000 1:25000 1:10000 1:5000)

QX/T 420-2018 - Stationary water electrolyte system for producing hydrogen used in the meteorological service

QX/T 419-2018 - Specifications for air negative ions observation. Capacitance inhalation

QX/T 418-2018 - Coding format for aerological observing data. BUFR

5 Classification and status

Chinese Standard Classification (CCS): A 47

Prefix QX/T: recommended standard.

Preview: page 3 of 3 shown, 20 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/qx-t-428-2018