Chinastandards.org

ICS 29.200
CCS K81

SJ

INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

SJ/T 11432-2012

General specification of stabilized power supplies, DC output

直流稳定电源通用规范第1部分：术语和定义

(English Translation)

Issued by: Ministry of Industry and Information Technology

Preview: page 1 of 4 shown, 85 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sj-t-11432-2012

Chinastandards.org

Table of Contents

[Preview only]
1 Scope
1.1 Subject Contents
1.2 Application Scope
2 Normative references
3 Terms and Definitions
3.1 Height of Raised Access Floor
3.2 Abbreviations
3.3 Bearing of Four Conner
3.4 Systematically Resistance of Raised Access Floor
4 Requirements
4.1 Relation between the Host and the Device
4.2 UTI Interface
4.3 Requirements for the Physical Layer of UTI Device
4.4 Transport Stream Interface
4.5 Command Data Interface
4.6 Characteristic Requirements for UTI Physical Layer
5 Instruments, equipment, and materials
5.1 Diagram of Module in Connection with Host
5.2 DTV-CI Interface
5.4 Command Interface
5.5 Physical Requirement
5.6 UTI-HTU
5.7 Measuring Condition
6 Sample processing and determination
6.1 TSI-Physical, Link Layers
6.2 TSI-Transport Layer
6.3 TSI - Upper Layers
6.4 Initialization Test
6.5 Resource Manager Test
6.6 Application Information Resource Test
6.7 Date-time Information Resource Test

Preview: page 2 of 4 shown, 85 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sj-t-11432-2012

6.8 CA Application Resource Test
6.9 UTI Device TS Test
7 Marking, packaging, transportation and storage
7.1 Data Structure
7.2 Transport Layer
7.3 Session Layer
7.4 Resource of Resource Manager
7.5 Application Information Resources
7.6 Date and Time Information Resources
7.9 Hot Plugging/Unplugging Test
8 Test report
8.1 Introduction
8.2 Resources
8.3 Application Protocol Data Units (APDU)
8.4 System Management Resources
8.5 Host Control and Information Resources
8.6 Man-Machine Interface Resource
8.7 Resource Identifiers and Application Object Tags
9.1 Electromagnetic Compatibility
9.2 Safety
9.3 Materials

1 Foreword

SJ/T 11432-2012 was issued by Ministry of Industry and Information Technology on 24 May 2012.

The SJ/T prefix marks a recommended standard. It is not law in itself: it becomes binding when a contract names it, when a regulation or a mandatory standard refers to it, or when a producer declares conformity with it.

The document runs to 85 pages in English translation.

2 Scope Preview

This standard is applicable to stable power supplies that derive power from AC or DC sources and provide DC output power for the following purposes, but are not limited to: computers; telecommunications; laboratories; industrial equipment. This standard does not

Preview: page 3 of 4 shown, 85 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sj-t-11432-2012

apply to calibration sources for electrical measurements.

SJ/T 11432-2012 falls under ICS 29.200, in the field of electrical engineering.

This catalogue holds 55 other SJ/T standards in that field.

In this catalogue, SJ/T standards carry edition years from 1980 to 2026.

3 About this standard

Sector: Electronics Industry Standard (Recommended)

Issued by: Ministry of Industry and Information Technology

English translation: about 85 pages (approximate)

Chinese original: about 128,119 characters

4 Related standards

Standards on related subjects:

NB/T 10902-2021 - Technical conditions and installation requirements of 20kW and below non-on-board charger

JB/T 11137-2011 - General requirements for lithium-ion battery assemblies

JB/T 11142-2011 - General requirements for lithium-ion battery chargers

5 Classification and status

International classification (ICS): 29.200

Chinese Standard Classification (CCS): K 81

Prefix SJ/T: recommended standard.

Preview: page 4 of 4 shown, 85 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sj-t-11432-2012