Chinastandards.org

ICS 27.140
CCS P59

SL

INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

SL 315-2005

Environmental impact assessment code hydroelectric station project for rural area

农村水电站工程环境影响评价规程

(English Translation)

Issued on: May 20, 2005 **Implemented on: September 1, 2005**

Issued by: Ministry of Water Resources of the People's Republic of China

Preview: page 1 of 4 shown, 18 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sl-315-2005

Chinastandards.org

Table of Contents

[Preview only]
1 General Provisions
2 Terms and Symbols
2.1 Terms
2.2 Symbols
3 Soil Erosion Type Division
3.1 Grade 1 Type Area
3.2 Grade II Type Area
3.3 Scope and Feature
4 Soil Erosion Intensity Graduation
4.1 INTENSITY GRADUATION OF WATER EROSION AND GRAVITY EROSION
4.2 WIND EROSION AND MIXING EROSION (DEBRIS FLOW) INTENSITY GRADUATION
4.3 Layout of Multipurpose Tunnel
5 Soil Erosion Degree Graduation
5.1 Selection of Pressure State
5.2 Sectional Shape
5.3 Sectional Dimension
6 Hydraulic Design of Tunnel
6.1 Calculation Principle
6.2 Anti-cavitation Design of Hydraulic Tunnel with High Velocity
7 Design of Soil Tunnel
7.1 Support and Lining of Soil Tunnel
7.2 Joint Division of Soil Tunnel Lining and its Anti-Seepage and Waterstop
8 Design of Tunnel Section at Adverse Geology
9 Tunnel Support and Lining
9.1 General Requirements
9.2 Loads and Load Combinations
9.3 Concrete and Reinforced Concrete lining
9.4 Prestressed Concrete Lining
9.5 Unlined and Anchor-shotcrete Lined Tunnel
9.6 Design of Reinforced Concrete Lining Bifurcated Tunnel

Preview: page 2 of 4 shown, 18 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sl-315-2005

9.7 Joints on Lining
9.8 Design of Water Retaining Jam

1 Foreword

SL 315-2005 was issued by Ministry of Water Resources of the People's Republic of China on 20 May 2005 and has been in force since 1 September 2005.

The SL prefix, without a suffix, marks a mandatory standard: within its scope, compliance is required.

The document runs to 18 pages in English translation.

2 Scope Preview

This standard applies to: 1 ~ 50MW-capacity of rural hydropower project working environmental impact assessment, does not apply to the comprehensive utilization project small hydropower.

SL 315-2005 falls under ICS 27.140, in the field of energy and heat transfer engineering.

This catalogue holds 100 other SL standards in that field.

In this catalogue, SL standards carry edition years from 1989 to 2020.

3 About this standard

Sector: Water Resources Industry Standard

Issued by: Ministry of Water Resources of the People's Republic of China

English translation: about 18 pages (approximate)

Chinese original: about 27,224 characters

4 Related standards

Standards on related subjects:

NB 35047-2015 - Code for seismic design of hydraulic structures of hydropower projects

SL 282-2003 - Design specification for concrete arch dams

SL 319-2018 - Design specificatian for concrete gravity dams

Preview: page 3 of 4 shown, 18 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sl-315-2005

Chinastandards.org

5 Classification and status

International classification (ICS): 27.140

Chinese Standard Classification (CCS): P 59

Prefix SL: mandatory standard.

Preview: page 4 of 4 shown, 18 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sl-315-2005