

ICS 17.100
CCS A 53

SN

**INDUSTRY STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

SN/T 0188.3-2010

Replacing SN/T 0188-1993

**Rules for the weight survey by weighing instrument on import
and export commodities. Part 3: Weight survey by vehicle
weigh-bridge**

(English Translation)

Issued on: January 10, 2010

Implemented on: July 16, 2010

Issued by: General Administration of Customs

Table of Contents

- Foreword
- 1 Scope
- 2 Normative references
- 3 Terms and Definitions
- 4 Truck Akishige basic requirements
 - 4.1 Working conditions
 - 4.2 Technical requirements

Foreword

SN/T 0188 "Import and Export Commodity weight survey by scale of order" into the following sections.

- Part 1. Terminology;
- Part 2. General weight survey by scale;
- Part 3. Cars weight survey by scale;
- Part 4. Track weight survey by scale;
- Part 5. Kam weight scales;
- Part 6. Kam balance weight;
- Part 7. Electronic hopper scales Kam weight.

This section SN/T Section 30188 of.

This section is SN/T 0188-1993 "Import and Export Commodity weight authentication procedures weight survey by scale" amendments to this part of the original part of the area Notably.

- Proposed section weighing accuracy.
- Increasing the basic requirements of digital electronic scales content.
- Weighing metering chamber increases the basic requirements of content.

This section proposed and managed by the National Certification and Accreditation Administration Committee.

1 Scope

This section provides the import and export of goods vehicle weighing Akishige methods, procedures and requirements.

This section applies to the weight of a car weighing weight identification of import and export commodities.

2 Normative references

The following documents contain provisions which, through reference SN/T in this section 0188 constitute provisions of this part. For dated reference documents Member, all subsequent amendments (not including errata content) or revisions do not apply to this section, however, encouraged to reach under this section Parties to research agreement to use the latest versions of these documents. For undated reference documents, the latest versions apply to this section.

GB/T 8170 rounding off rules and limits of representation and decision SN/T 0188.1 Import and Export weight survey by scale procedures - Part 1. Terminology

3 Terms and Definitions

Terms and definitions SN/T 0188.1 established applicable to this section.

4.1 Working conditions

4.1.1

engaged in the import and export inspection and quarantine authorities metering goods truck metering chamber, supervision and management should be implemented. Truck metering chamber should be established Strict counter weight, release, transfer and save data and shift system.

4.1.2

Truck measurement of performance shall be subject to periodic verification of qualified inspection and quarantine institution shall send personnel involved in the import and export of goods by truck scale measurement verification Work and make a record, weighing instrument digital adjustable parts (including the design of measurement parameters, linear allocation key, etc.) by the inspection and quarantine agencies to Seals. Electronic truck scale weighing software shall be approved by the metrology department or local inspection and quarantine institutions.

4.1.3

The measuring chamber shall be equipped with necessary monitoring facilities to ensure a balance weight metering and Akishige officer may be observed counter weight

automotive-related positions without exception Happening.

4.1.4

Balance Weight job because the wind is too large and the snow and other factors affect the accuracy and authenticity of the counter weight data should be suspended operations.

4.2 Technical requirements

4.2.1

Weighing accuracy should be better than 0.2%.

4.2.2

The test shall obtain a certificate of legal metrology and calibration department qualified and use within the validity period. It should be considered to make the test cycle by circumstances. frequent use of the verification period shall be 3 months, do not use frequent verification period shall be 6 months, the longest shall not exceed one year.

4.2.3

should be non-cumulative continuous automatic vehicle scale or automatic vehicle scale, but should be static weighing.

4.2.4

Accuracy class should reach grade scale.

4.2.5

sub-degree indexing setting value should meet the requirements of truck and heavy truck Kam accuracy.

4.2.6

Using weighing range should be maximum capacity to meet minimum capacity truck scale accuracy.

4.2.7

Approach level of not less than two-thirds the length Weighing countertops length.

4.2.8

Where a device attached to the instrument from the school, in the truck use should be from the school.

4.2.9

Truck test and use the allowable error should meet the requirements in Table 1.