

**INDUSTRY STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

SN/T 1163.1-2002

Rules for the inspection of telephone for import and export

进出口有线电话机检验规程

(English Translation)

Issued on: November 25, 2002

Implemented on: May 1, 2003

**Issued by: General Administration of Quality Supervision, Inspection and
Quarantine of the People Republic of China**

Table of Contents

Foreword

1 Scope

2 Normative references

3 Terms and definitions

4 Sampling

4.1 Sampling conditions

4.2 Sampling plan

4.3 Sampling method

4.4 Sampling plan, test items, technical requirements and test methods for type test

5 Inspection

5.1 Inspection classification

5.2 Inspection items

Foreword

This standard is proposed and managed by the National Certification and Accreditation Administration.

This standard was drafted. Tianjin Entry-Exit Inspection and Quarantine Bureau of the People's Republic of China.

1 Scope

This standard specifies the sampling, inspection and inspection results of import and export wired telephones.

This standard is applicable to the inspection of import and export wired telephones. This standard does not apply to special applications such as import and export machine, with recording and fax.

Inspection of the wired telephone.

2 Normative references

The terms in the following documents become the terms of this standard by reference to this standard. All dated references, followed by all Modifications (not including errata content) or revisions do not apply to this standard, however, parties to agreements based

on this standard are encouraged to study is it possible to use the latest version of these files? For undated references, the latest edition applies to this standard.

GB/T 2828 batch-by-batch inspection sampling procedure and sampling table (for continuous batch inspection) GB/T 3873-1983 General technical requirements for packaging of communication equipment products GB/T 15279-1994 Automatic telephone technical conditions (neqCCITTG.111)

3 Terms and definitions

The following terms and definitions apply to this standard.

For export inspection, the unit product produced under the same process conditions for the same specifications and models that are collected for sampling inspection.

For the import inspection, the products of the same specification and model are collected under the same contract and the same item.

4.1 Sampling conditions

For export inspection, the factory inspection certificate of the batch of products and the type test report qualified during the validity period shall be provided.

For the import inspection, under the same contract and the same (transport) single item, it is randomly selected according to the specifications (model).

4.2 Sampling plan

4.2.1

General inspection level 1 is adopted for the normal inspection once sampling scheme specified in GB/T 2828.

4.2.2 Qualified quality level AQL value provisions

When the class B fails, the AQL is 1.5.

When the C class fails, the AQL is 4.0.

4.3 Sampling method

Samples were randomly selected from the test lot.

4.4 Sampling plan, test items, technical requirements and test methods for type test

According to the provisions of GB/T 15279-1994.

5.1 Inspection classification

The test is divided into a settlement test and a type test.

5.2 Inspection items

SN/T 1163.1-2002