

ICS 13
CCS C 62

SN

**INDUSTRY STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

SN/T 1527-2005

**Codes of health measures in case of cholera related event
occurring within the frontier port**

国境口岸霍乱处理规程

(English Translation)

Issued on: February 17, 2005

Implemented on: July 1, 2005

**Issued by: General Administration of Quality Supervision, Inspection and
Quarantine of the People Republic of China**

Table of Contents

Foreword	
1 Scope	
2 Normative references	
3 Objects	
4 Preparation	
5 Procedures and methods	
5.1 Verification report	
5.2 Blockade site	
5.3 Epidemiological investigation	
5.4 Patient's on-site disposal	

Foreword

Appendix A of this standard is a normative appendix, and Appendix B and Appendix C are informative appendices.

This standard is proposed and managed by the National Certification and Accreditation Supervision Committee.

This standard was drafted. Shanghai Entry-Exit Inspection and Quarantine Bureau of the People's Republic of China.

1 Scope

This standard specifies the objects, contents and contents of the inbound and outbound vehicles, personnel, food, baggage, postal parcels and port environment infected with cholera.

Method, effect determination and disposal.

This standard is applicable to the handling of cholera cases or suspected cholera cases at border crossings by entry-exit inspection and quarantine institutions.

2 Normative references

The terms in the following documents become the terms of this standard by reference to this standard. All dated references, followed by all Modifications (not including errata content) or revisions do not apply to this standard, however, parties to agreements based

on this standard are encouraged to study is it possible to use the latest version of these files? For undated references, the latest edition applies to this standard.

GB 15984-1995 Cholera diagnostic criteria and principles of treatment

3 Objects

3.1

Cholera infected persons and suspected infected persons.

3.2

Vehicles, food, drinking water, ballast water, luggage, postal parcels contaminated by *Vibrio cholerae* or suspected of *Vibrio cholerae* contamination.

3.3

Cholera medical media.

3.4

Other contaminated border ports and items.

4 Preparation

4.1

Isolation clothing, masks, hats, rubber gloves, and plastic overshoes.

4.2

Quarantine documents, cholera epidemiology questionnaire for entry and exit personnel, infectious disease report card for entry and exit personnel, specimens for inspection, health treatment Know the single.

4.3

sphygmomanometer, thermometer, stethoscope, saline solution, sodium carbonate solution (1%), oral vaccine, stretcher.

4.4

Sampling tools and reagents.

4.5

Disinfection, insecticides and devices.

5.1 Verification report

Verify the report.

5.2 Blockade site

The quarantine personnel came to the scene with personal protection and blocked the 50m area around the epidemic, prohibiting other personnel from entering and leaving.

5.3 Epidemiological investigation

5.3.1

Investigate the history of contact and activity within 5 days before the onset of the disease, and fill out the cholera epidemiological questionnaire (see Appendix A).

5.3.2

Temporarily isolate close contacts, investigate the history and activities of close contacts, and fill out the cholera epidemiological questionnaire (see attached) Record A).

5.4 Patient's on-site disposal

On-site first aid for critically ill patients (see Appendix B). After the condition is stable, the patient will be sent to the designated infectious disease accompanied by the quarantine personnel.

In the hospital, the moderately mild patients are sent directly to the designated infectious disease hospital, and the places and transportation vehicles that transport the patients are disinfected and terminally processed at any time.

disinfection.