

ICS 77.140
CCS H 40

SN

**INDUSTRY STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

SN/T 1733.4-2006

**Rules for the inspection of non-prime steel material. Part 4: Wire
rods**

非正品钢材检验鉴定规程 第4部分：盘条
(English Translation)

Issued on: August 28, 2006

Implemented on: March 1, 2007

**Issued by: The General Administration of Quality Supervision, Inspection
and Quarantine**

Table of Contents

- Foreword
- 1 Scope
- 2 Normative references
- 3 Terms and definitions

Foreword

SN/T 1733 "Non-Genuine Steel Inspection and Identification Regulations" is divided into 11 parts.

- Part 1. Slab;
- Part 2. color coated board;
- Part 3. Billet/round billet;
- Part 4. Wire rod;
- Part 5. Profiles;
- Part 6. Pipe;
- Part 7. Stainless steel plate (belt);
- Part 8. Tin-plated steel sheet;
- Part 9. Galvanized steel sheets and strips;
- Part 10. Cold rolled steel sheets and strips;
- Part 11. Hot rolled steel sheets and strips.

This part is the fourth part of SN/T 1733.

Appendix A of this section is a normative appendix, and Appendix B is an informative appendix.

This part is proposed and managed by the Certification and Accreditation Administration.

This section drafted by. Jiangsu Entry-Exit Inspection and Quarantine Bureau of the People's Republic of China, Guangdong Entry-Exit Inspection and Quarantine Bureau, Shandong Entry-Exit Inspection and Quarantine Bureau of the People's Republic of China, Shenzhen Entry-Exit Inspection and Quarantine Bureau of the People's Republic of China, Shanghai Entry-Exit Inspection and Quarantine Bureau, Zhejiang Entry-Exit Inspection and Quarantine Bureau of the People's Republic of China, and Tianjin Entry-Exit Inspection

Epidemic situation.

1 Scope

This section specifies the definition, technical requirements, inspection and appraisal, quality level assessment and determination of inspection results of non-genuine wire rods.

This section applies to the inspection and identification of non-genuine wire rods and first-level residual wire rods.

2 Normative references

The provisions in the following documents become the provisions of this part by reference to this part of SN/T 1733. Quotations with dated , all subsequent amendments (not including errata content) or revisions do not apply to this section, however, encouragement is achieved under this section the parties to the agreement study whether the latest versions of these documents can be used. For undated references, the latest edition applies to this section.

GB/T 701 low carbon steel hot rolled disc strip (GB/T 701-1997, ISO 8547-2. 1989, neq)
General provisions for acceptance, packaging, marking and quality certification of GB/T 2101 steel GB 4223 scrap steel (GB 4223-2004, JIS2401. 1979, NEQ) GB/T 4354 hot rolled high quality carbon steel wire rod GB/T 4356 stainless steel wire rod GB/T 14981 hot rolled wire rod size, shape, weight and tolerance YB/T 18 ordinary low carbon steel hot rolled disc

3 Terms and definitions

GB/T 701, GB/T 2101, GB 4223, GB/T 4354, GB/T 4356, GB/T 14981 and YB/T 18 established and below Column terms and definitions apply to this section.

It refers to steel that is hot rolled into a rod shape and wound into a roll. Its packaging, specifications, appearance, quality, etc. meet the production country standards or trade contracts the wire rod specified in the agreed standard (see Appendix A).

Trade is accustomed to call "secondary wire rod secondarywirerods", including other, non-quality wire rods.

It means that some or all of the packaging, specifications, appearance, quality, etc. of the product do not meet the requirements of the corresponding genuine standard, but the product still retains the original use of the wire rod.

Refers to the single package, specifications, appearance, quality, etc. in line with the requirements of the original wire rod standard, but the entire batch of goods exist in a variety of grades, a variety of specifications, a variety of Features such as material, package size, and weight difference.

Refers to a wire rod product that has serious defects, cannot be used for the original purpose, or can only be used for smelting and recycling of scraps.