

ICS 71.100.30
CCS Y 88

SN

**INDUSTRY STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

SN/T 3082.5-2012

**Specifications for the inspection of export fireworks and
firecracker. Part 5: Fountains**

出口烟花爆竹产品检验规范 第5部分：喷花类
(English Translation)

Issued on: January 1, 1970

Implemented on: January 1, 1970

Issued by: General Administration of Customs

Table of Contents

Foreword
1 Scope
2 Normative references
3 Terms and Definitions
4 Product description and classification
4.1 Description
4.2 Rating
5 Technical requirements
5.1 General requirements
5.2 Proprietary requirements

Foreword

SN/T 3082 "fireworks export product testing standard" is divided into 15 parts.

- Part 1. General;
- Part 2. rotating off category;
- Part 3. Small Ground fireworks;
- Part 4. Smoke class;
- Part 5. Fountains;
- Part 6. Firecrackers;
- Part 7. friction gun class;
- Part 8. modeling toys;
- Part 9. Rocket;
- Part 10. thomsonae class;
- Part 11. Class of incense;
- Part 12. Shell category;
- Part 13. Spinners;
- Part 14. Combined class;
- Part 15. Mixed bag category.

This section SN/T 3082 Part 5.

This section drafted in accordance with GB/T 1.1-2009 given rules.

This section proposed and managed by the National Certification and Accreditation Administration Committee.

1 Scope

This section specifies the technical requirements for the export of fireworks spray products.

This section applies to exports of fireworks spray products inspection.

2 Normative references

The following documents for the application of this document is essential. For dated references, only the dated version suitable for use herein Member. For undated references, the latest edition (including any amendments) applies to this document.

SN/T 0306.1 export fireworks inspection procedures - Part 1. General SN/T 3082.1-2012 exports of fireworks product testing specification - Part 1. General

3 Terms and Definitions

Terms and definitions SN/T 3082.1-2012 defined apply to this document.

4.1 Description

Injection cylinder body with pyrotechnics. No cylinder movement, fireworks continuous discharge from the ejection port. Sub handheld and non-handheld.

4.2 Rating

According to the provisions SN/T 0306.1 and spray products into toys fireworks and a large fireworks.

5.1 General requirements

Fountains fireworks shall comply with SN/T 3082.1-2012 in Chapter 5.

5.2 Proprietary requirements

5.2.1

the amount of pyrotechnic

5.2.1.1

The total dose levels of single toy fireworks products should $\leq 500\text{g}$, total single dose of handheld products should $\leq 75\text{g}$.

5.2.1.2

Large fireworks total dose level of individual products should $\leq 3000\text{g}$.

5.2.2 Product Structure

Hand-held part of the length 5.2.2.1 handheld products should not be less than 150mm.