Chinastandards.org

ICS 11.220
CCS B41

SN

INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

SN/T 3091-2012

Quarantine protocol for maedi-visna disease

梅迪-维斯纳病检疫规程

(English Translation)

Issued on: May 7, 2012 **Implemented on: November 16, 2012**

Issued by: General Administration of Customs

Preview: page 1 of 3 shown, 15 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3091-2012

Chinastandards.org

Table of Contents

Foreword

1 Scope

2 Normative references

3 Abbreviations

4 Clinical diagnosis and pathology

4.1 Clinical diagnosis

Foreword

This standard was drafted in accordance with GB/T 1.1-2009 given rules.

This standard is proposed and managed by the National Certification and Accreditation Administration Committee.

1 Scope

This standard specifies the sheep Mehdi - Visna disease quarantine methods.

This standard applies to sheep Mehdi - Visna disease quarantine.

2 Normative references

The following documents for the application of this document is essential. For dated references, only the dated version suitable for use herein Member. For undated references, the latest edition (including any amendments) applies to this document.

SN/T 1223-2003 ovine progressive pneumonia antibody detection method AGID test

3 Abbreviations

The following abbreviations apply to this document.

DMEM Dulbecco'sminimumessentialmedium Dulbecco must Basal Medium 3.2 MVD maedi-visnadisease Mehdi - Visna disease 3.3 MVV maedi-visnavirus Mehdi - Visna virus 3.4 OFL ovinefetallamblungcel Ovine fetal lung cells

4.1 Clinical diagnosis

Mehdi disease. clinical symptoms more common in 2-3-year-old adult sheep. The incubation period is longer. Bing Yang weight loss, occurrence of lung damage, respiratory

Preview: page 2 of 3 shown, 15 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3091-2012

difficulties Difficult, the number of breaths per minute up to 80 to 120 times during activities. Ventral found in the lung in the dorsal lung can be heard rales, percussion auscultation Real tone. Body temperature normal. Blood tests found that mild anemia, low hemoglobin, persistent leukocytosis. Ewes miscarriage or producing weak lambs.

Wiessner disease. clinical symptoms more common in older than 2 years Bing Yang. Mehdi disease incubation period is short. Bing Yang often off base, easy to slip hind legs, hair Soft, often at rest metatarsal ground, limb paralysis and progressive development, difficulty walking, hind limb ataxia, unexplained falls, abnormal head posture, Sometimes the lips and eyelid tremors.

Preview: page 3 of 3 shown, 15 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3091-2012