Chinastandards.org

ICS 07.080
CCS B16

SN

INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

SN/T 3162-2012

Detection and identification of planococcus minor (Maskell)

大洋臀纹粉蚧检疫鉴定方法

(English Translation)

Issued on: May 7, 2012 **Implemented on: November 16, 2012**

Issued by: General Administration of Customs

Preview: page 1 of 3 shown, 9 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3162-2012

Chinastandards.org

Table of Contents

Foreword

1 Scope

2 Normative references

3 Terms and Definitions

Foreword

This standard was drafted in accordance with GB/T 1.1-2009 given rules.

This standard is proposed and managed by the National Certification and Accreditation Administration Committee.

1 Scope

This standard specifies the buttocks ocean pattern mealybug Planococcusminor (Maskel) live quarantine, morphological identification and real-time TaqMan PCR for identification methods.

This standard applies to hip ocean pattern mealybug field testing and laboratory identification.

2 Normative references

The following documents for the application of this document is essential. For dated references, only the dated version suitable for use herein Member. For undated references, the latest edition (including any amendments) applies to this document.

Laboratory use specifications and test methods GB/T 6682 Analysis

3 Terms and Definitions

The following terms and definitions apply to this document.

Back hole ostioles

The students in a cross-shaped structure fissure lips as parasites on the back, the number usually two pairs, with only a few pairs. Back hole position according to different raw Back hole can be divided into front and back holes. Former students back hole front chest and back plate, back Kongze Sheng in the 6th abdominal segment backplane.

Abdominal umbilical circulus Abdominal umbilical is located in the ventral abdominal

Preview: page 2 of 3 shown, 9 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3162-2012

parasites, often locally narrow horny hardening box limits the number and size of different species of scale insects Class has changed dramatically, and some types of non-abdominal umbilical.

Gland plate diskpores Gland plate holes gland, also known as scale insects wax glands secrete a type of three-hole gland including a variety of shapes, five-hole glands, porous, sieve-like holes, etc.

Glands.

3.3.1

Three holes gland trilocularpores A disc glands, various sizes slightly triangular or circular hardened structure in which the Department has three elongated gland holes.

3.3.2

Five-hole glands quinquelocularpores A gland plate with five holes gland.

3.3.3

Porous gland multilocularpores A disc glands, different diameters of round or oval holes sclerosis, gland hole more than five.

Collar-shaped gland oral-colartubularducts A tube gland, cylindrical, with a ring of hardened nozzle ring.

Preview: page 3 of 3 shown, 9 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3162-2012