Chinastandards.org

ICS 07.080
CCS B16

SN

INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

SN/T 3173-2012

Detection and identification of Epidiaspis leperii (Signoret)

桃白圆盾蚧检疫鉴定方法

(English Translation)

Issued on: May 7, 2012 **Implemented on: November 16, 2012**

Issued by: General Administration of Customs

Preview: page 1 of 3 shown, 8 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3173-2012

Chinastandards.org

Table of Contents

Foreword

1 Scope

2 White peach Buckler Kuwana basic information

3 Terms and Definitions

Foreword

This standard was drafted in accordance with GB/T 1.1-2009 given rules.

This standard is proposed and managed by the National Certification and Accreditation Administration Committee.

This standard was drafted. People's Republic of China, Shenzhen Entry-Exit Inspection and Quarantine Shanxi People's Republic of China Bureau, People's Republic of China Tianjin Exit Inspection and Quarantine.

1 Scope

This standard specifies the export plant quarantine in quarantine and identification of white peach buckler Kuwana.

This standard applies to identify entry and exit quarantine and plant quarantine white peach buckler Kuwana.

2 White peach Buckler Kuwana basic information

Scientific name. Epidiaspisleperii (Signoret) Synonyms. DiaspisleperiiSignoret, DiaspispyriColv, AspidiotuspiricolaDelGuercio, Diaspisfal-lax Horvath, D.piricola (DelGuercio), Epidiaspispiricola (DelGuercio), E.pyri (Colv), Diaspis betulaeKoroneos.

Common name. Italianpearscale, Europeanpearscale, Greypearscale, pear-treeoysterscale, redpearscale.

Taxonomic status; Homoptera Homoptera, Coccoidea Cocoidea, Diaspididae Diaspididae, shield Kuwana subfamily Diaspidinae.

Additional information. Additional information peach white buckler Kuwana See Appendix A.

Approximate species. E.baccharidis (Townsend tillandsiaeTakagi

Preview: page 2 of 3 shown, 8 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3173-2012

3 Terms and Definitions

The following terms and definitions apply to this document.

Shelly foliculum

Kuwana protection shield structure, covering the back of the parasite, the hip panel gland secretions, anal excreta and glial nymphs molt bonding together.

Hip plate pygidium

After the end of the abdominal section number ossification healing from the plate-like configuration, and shield Kuwana wax is about the formation of complexes.

Hip leaf pygidiallobes Ossification of the hip edge of the board flat rosette subsidiary projections, in pairs, symmetrically distributed on both sides of the hip edge of the board. Located in the center of the hip plate referred to as A pair hip leaf, also known as the hip leaves; located in a symmetrical on both sides of the second pair of leaf hip hip leaf, later said third and fourth pairs of hip hip leaf leaves.

Gland thorn glandspines Diaspididae hip leaf insects among prominent thorn-like structure, usually with a microtubule simultaneously to more than one.

Hip bar (hip spine) pygidialplates Hip edge of the board is not affiliated ossification flaky projections, a variety of shapes, most of the branches into the comb, sometimes on the buttocks in the previous section, too.

Wai Yin gland perivulvarpores Glands around the vulva, mostly for multi-compartment gland, general distribution groups.

Preview: page 3 of 3 shown, 8 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3173-2012